Kew Bulletin

An International Journal for Taxonomy and Systematics of Plants and Fungi

CABI BIOSCIENCE
EGHAM LIBRARY
3 0 JAN 2008

Index to Volume 61

Kew

PLANTS PEOPLE
POSSIBILITIES

© *The Board of Trustees of the Royal Botanic Gardens, Kew 2007*

Applications for reproduction should be made in writing to:
The Trustees of the Royal Botanic Gardens, Kew,
47 Kew Green, Kew, Richmond, Surrey, TW9 3AB.

Index to Kew Bulletin plant names — Volume 61

Principal references are indicated in **bold** and illustrations*

Abatia, 206
Abundisporus fuscopurpureus (Pers.) Ryvarden, **56**
—— *roseoalbus* (Jungh.) Ryvarden, 56
Acacia visco Lorentz ex Griseb., 563
Acalypha segetalis Müll. Arg., **609**
Acalyphoideae, 38 – 40
Acanthaceae, 5, 289, 307, 401, 413, 433
Acanthoideae, 291
Achariaceae, 595
Acidocroton Griseb., 193
Acinos, 420
Actephila Blume, 41
Afrothismia (Engl.) Schltr., 605, 607
—— ***amietii*** Cheek, **605**, 606*, 607
—— *baerae* Cheek, 607
—— *foertheriana* Th. Franke, Sainge & Agerer, 607
—— *saingei* Th. Franke, 607
Afrotrilepis pilosa, 228
Agaricus striatus Sw., 62
Agavaceae, 145, 156, 158
Aizoaceae, 353, 358, 361, 373
Albuca, 150, 151, 156
—— *abyssinica* Dryand., 157
—— *cooperi* Baker, 157
—— *melleri* (Baker) Baker, 149, 150*, 151, 157
—— *shawii* Baker, 149, 150*, 157
Alchorneae, 446
Aleuritideae, 193
Alliaceae, 145
Allium, 158
Alphandia Baill., 193
Alrawia, 153 – 156
—— *bellii* (Baker) K. M. Perss. & Wendelbo, 155*, 157
Alternanthera Forssk., 565
Amanoa Aubl., 41, 42
—— *strobilacea* Müll. Arg., 39
Amanoeae G. L. Webster, 40 – 42
Amanoinae Pax & K. Hoffm., **41**
Amaranthaceae, 565
Amaryllidaceae, 145, 569, 571
Amaryllis belladonna L., 570, 571, 576
Amauroderma, 61
—— ***ealaensis*** (Beeli) Ryvarden, **56**, 57
—— *fuscatum*, 57
—— *kwiluensis* (Beeli) Ryvarden, 57
—— ***oblongisporum*** Furtado, **57**
—— ***preussii*** (Henn.) Steyaert, **57**
—— ***rugosum*** (Blume & T. Nees) Torrend, **57**, 58
—— ***sericatum*** (Lloyd) Wakef., **58**
Ammocharis, 571
Amphiblemma, 601, 602, 604
—— sect. *Cincinnatae* Engl., 604
—— sect. *Corymbosae* Engl., 604
—— *amoenum* Jacq.-Fél., 604
—— *molle* Hook. f., 604
—— ***monticola*** Jacq.-Fél., **601**, 602, 603*, 604
—— *monticule*, 601
—— sp. 1, 601
Amphisiphon, 152, 156
—— *stylosa* Barker, 153*, 158
Ananas comosus L., 228
Andrachne L., 39, 41
—— sect. *Pseudophyllanthus* Müll. Arg., 41
Annonaceae, 136
Anomalocalyx Ducke, 193
Anthericaceae, 145, 269
Antidesma Burm. ex L., 38, 45, 46
—— *laciniatum* Müll. Arg., 46
—— *vaccinioides* Airy Shaw, 46
Antidesmataceae Loud., 45
Antidesmataceae Sweet, 45
Antidesmateae Benth., 38 – 40, 45, **46**, 50
Antidesmatinae Müll. Arg., **46**
Antidesmatinae Pax, 45
Antidesmatoideae Hurus., 37, 39, **45**
Antimima N. E. Br., 361
Antrodia albida (Fr.) Donk, **58**
Antrodiella hydrophila (Berk. & M. A. Curtis) Ryvarden, **58**
—— ***liebmannii*** (Fr.) Ryvarden, **58**
Apatesia N. E. Br., 361
Aphyllanthes, 156
Apiaceae, 239
Apocynaceae, 31, 245
Apodiscus Hutch., 46, 47
Aporosa Blume, 39, 45, 47
Aporosaceae Lindl. ex Planch., 47
Aporoseae Airy Shaw, 47
Aptenia N. E. Br., 353, 373
—— *geniculiflora* (L.) Bittrich ex. Gerbaulet, 373
Aquifoliaceae, 537
Aquifoliales, 537
Aquifolium Gray, 537
Araceae, 441
Araliaceae, 187
Argyroderma N. E. Br., 361
Aromadendron Blume, 183
Asclepiadeae, 245
Asclepiadinae, 245
Asclepiadoideae, 31, 245
Asclepias convolvulacea Willd., 249
—— *cordata* Forssk., 246, 248, 249
—— *daemia* Forssk., 249, 250
—— *echinata* Roxb., 249
—— *glabra* Forssk., 249, 250
—— *scandens* P. Beauv., 249
Ashtonia Airy Shaw, 47
Asparagaceae, 145
Asparagales, 145

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Aspazoma N. E. Br., 353, **394**
—— ***amplectens*** (L. Bolus) N. E. Br, 353 – 355, 357*, 358, 360 – 364, 368, 373, 374, 378, **394**, 395, 396, 400
Aspidistra, 158
Asteraceae, 167, 449, 520
Asterales, 537
Astrocasia L. B. Rob. & Millsp., 43
Astrocasiinae G. L. Webster, **43**
Aurificaria indica (Massee) D. A. Reid, 56
Azara, 206

Baccaurea Lour., 38, 47
—— *gracilis* Merr., 44
Ballota suaveolens L., 91
Banara, 206
—— sect. *Pineda* (Ruiz & Pav.) Eichler, 207
—— *incana* (Ruiz & Pav.) Benth., 208
—— —— var. *jamesoni* Benth., 208
Barleria L., 289
Basidiomycetes, 55
Bellevalia, 153 – 156
—— *flexuosa* Boiss., 147*, 155*, 157
—— *glauca* (Lindl.) Kunth, 154*, 157
—— *nivalis* Boiss. & Kotschy, 157
—— *romana* Sweet, 153 – 155, 157
Benoistia H. Perr. & Leandri, 193
Benoistiinae, 193
Berlinia, 161, 162
—— *bruneelii* (De Wild.) Torre & Hillc., 161, 162
—— *confusa* Hoyle, 161
—— *congolensis* (Baker f.) Keay, 161
—— *grandiflora* (Vahl) Hutch. & Dalziel, 161
—— —— var. *bruneelii* (De Wild.) Hauman, 161
—— —— var. *grandiflora*, 162
—— —— var. *pseudoauriculata* Hauman, 161
—— ***phenacoa*** Mackinder, **161**, 162, 163*
—— ***rabiensis*** Mackinder, 161, **162**, 164*, 165*, 166
Berrya Roxb., 443
Bischofia Blume, 38, 40, 45, 48
Bischofiaceae Airy Shaw, 48
Bischofieae Hurus., 37, 45, 48
Bischofiinae Müll. Arg., 48
Blechnaceae, 23
Blepharis Juss., 289
Blotia Leandri, 39, 43, 44
Bolandia, 528
—— ***argillacea*** (Cron) Cron, **527**
—— ***pedunculosa*** (DC.) Cron, 481, 523, **526, 529**
Boletus gilvus Schwein., 68
—— *lucidus* Curtis, 61
—— *medullapanis* Jacq., 67
—— *microporus* Sw., 71
—— *sanguineus* L., 71
—— *spathulatus* Hook., 69
—— *thelephoroides* Hook., 62
—— *ulmarius* Sowerby, 71
Bombacaceae, 443
Bophoone disticha (L. f.) Herb., 570, 571, 576
Borneodendron Airy Shaw, 193
Boschia Korth., 443
Bowiea Harv., 149
—— *volubilis* Harv., 157
Breynia J. R. & G. Forst., 37, 44, 45
Bridelia Willd., 38, 41, 42
Bridelieae Müll. Arg., 40, **41**, 42
Bridelioideae Luersss., 41
Brimeura, 153, 155, 156
—— *amethystina* (L.) Chouard *'Stephanie'*, 157
Brownanthus Schwantes, 353 – 363, 364*, 368, 373 – 376, **378**, 393, 394, 396
—— ***arenosus*** (Schinz) Ihlenf. & Bittrich, 354, 355, 357*, 358, 361, 363, 364*, 368, 373, 374, 376, **379**, 384, 386, 400
—— *ciliatus* (Aiton) Schwantes, 381
—— —— subsp. *schenkii* (Schinz) Ihlenf. & Bittrich, 353, 354, 381
—— ***corallinus*** (Thunb.) Ihlenf. & Bittrich, 355, 357, 358, 361, 363, 364, 368, 373, 374, 376, 379, 385, 387, **393**, 394, 400
—— ***fraternus*** Klak, 354, 355, 357, 358, 360 – 363, 368, 373, 374, 376, 379, 385, **392**, 393, 400
—— ***glareicola*** Klak, 354, 355, 357 – 361, 363, 364, 368, 373, 374, 376, 379, 385, **393**, 394, 400
—— ***kuntzei*** (Schinz) Ihlenf. & Bittrich, 354, 355, 357, 361, 363, 364, 368, 373, 376, 377, 379, **389**, 400
—— ***lignescens*** Klak, 354, 355, 357, 358, 361, 363, 368, 373, 374, 376, 379, 385, **394**, 400
—— ***marlothii*** (Pax) Schwantes, 355, 356*, 357, 358, 362 – 364, 368, 373, 374, 376, 378, 382, **391**, 392, 400
—— ***namibensis*** (Marloth) Bullock, 354, 355, 356*, 357, 358, 363, 364, 368, 373, 374, 376 – 378, **387**, 391, 400
—— ***neglectus*** S. M. Pierce & Gerbaulet, 354, 355, 357*, 358, 363, 364, 368, 373, 374, 376, 378, 379, **384**, 390, 400
—— ***nucifer*** (Ihlenf. & Bittrich) S. M. Pierce & Gerbaulet, 355, 358, 359, 361 – 364, 368, 373, 376 – 379, **387**, 400
—— ***pseudoschlichtianus*** S. M. Pierce & Gerbaulet, 354, 355, 357, 358, 362 – 364, 368, 373, 374, 376, 378, 379, 384, **387**, 388, 400
—— ***pubescens*** (N. E. Br. ex C. A. Maass) Bullock, 355, 356*, 358, 361, 363, 364, 368, 373, 374, 376, 378, 383, **392**, 394, 400
—— ***schenckii*** (Schinz) Schwantes, 353, 376, 378, 380, **381**, 384, 400
—— *schlichtianus* (Sond.) Ihlenf. & Bittrich, 354, 379
—— *simplex* (N. E. Br. ex C. A. Maass) Bullock, 381
—— ***vaginatus*** (Lam.) Chess. & M. Pignal, 354, 361, 363, 364, 368, 373, 374, 376, 378, **380**, 384, 400
—— —— subsp. *schenckii* Chess. & M. Pignal, 355, 356*, 358, 360, 361, 368, 374, 381
—— —— subsp. *vaginatus*, 355, 358, 368, 374, 384
Brownlowia, 443
Brownlowiaceae Cheek, **443**
Burmanniaceae, 605
Burseraceae, 579
Bystropogon, 90
—— *sidaefolius* L'Hér., 91
—— *sidifolium* L'Hér., 90

Caesalpinioideae, 79, 161, 257
Calamintha, 420, 421
—— *cryptantha* Vatke, 427
—— —— var. *filiformis* Chiov., 428, 429
—— —— var. *mildbraedii* Perkins, 428
—— *elgonensis* Bullock, 425
—— *kilimandschari* Gürke, 430
—— *parvula* S. Moore, 427, 430
—— *simensis* Benth., 420, 427
—— —— f. *flaccida* Vatke, 425
—— —— var. *obtusifolia* Avetta, 425
—— *simensis sensu* Baker, 425
—— *uhligii* (Gürke) Verdc., 424
Canthium Lam, 591
Caperonia serrata (Turcz.) Presl, **609**
Cardiopteridaceae, 537
Carpanthea N. E. Br., 361
Carpodiptera Griseb., 443
Caryophyllaceae, 35
Caryophyllales, 358
Caucasalia parviflora (M. Bieb.) B. Nord., 504

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Celastraceae, 265, 600
Celastroideae Burnett, 265
Celastrus L., 265
Celianella Jabl., 38, 39, 40
Centroplacaceae, 38
Centroplacus, 38
Ceropegieae, 246
Chascotheca Urb., 43
Chassalia, 585, 588
—— ***bipindensis*** Sonké, Nguembou & A. P. Davis, 585, **586**, 587*, 588
—— *corallifera* (A. Chev. ex De Wild.) Hepper, 585, 588
—— *doniana* (Benth.) G. Taylor, 588
—— *elongata* Hutch. & Dalziel, 585, 588
—— *subherbacea* (Hiern) Hepper, 585, 588
—— *subnuda* (Hiern) Hepper, 585, 588
—— *subspicata* K. Schum., 588
—— *tchibangensis* Pellegr., 588
—— *zenkeri* K. Schum. & K. Krause, 585, 588
Cheiloclinium Miers, 265
Chionanthus L., 179
—— *avilensis* (Steyerm.) P. S. Green, 181
—— *compactus* Sw., 181
—— *crassifolius* (Mart.) P. S. Green, 181
—— *ferrugineus* (Gilg) P. S. Green, 181, 182
—— *filiformis* (Vell.) P. S. Green, 181, 182
—— *fluminensis* (Miers) P. S. Green, 181
—— ***greenii*** Lombardi, **179**, 180*, 181*
—— *guianensis* (Aubl.) Pers., 181
—— *implicatus* (Rusby) P. S. Green, 181
—— *micranthus* (Mart.) Lozano & Fuertes, 181, 182
—— *pubescens* Kunth, 181
—— *subsessilis* (Eichler) P. S. Green, 181, 182
—— *tenuis* P. S. Green, 181, 182
—— *trichotomus* (Vell.) P. S. Green, 181, 182
—— *wurdackii* B. Ståhl, 181
Chionodoxa, 153, 155, 156
—— *cretica* Boiss. & Heldr., 157
—— *igantea* Hort., 157
—— *lochiae* Meikle, 156, 157
—— *luciliae* Boiss., 157
—— *sardensis* Whittall ex Barr & Sugden, 157
Chlorogaloideae, 145, 156, 158
Chloroleucon, 560
Chlorophytum Ker-Gawl., 269
—— *bharuchae* R. Ansari & Hemadri, 271
—— *borivilianum* Santapau & Fernandes, 269
—— ***kolhapurense*** Sardesai, S. P. Gaikwad & S. R. Yadav, **269**, 270*, 271
Chonocentrum Pierre ex Pax & K. Hoffm., 50
Chorisandrachne Airy Shaw, 41, 43
Christiana DC., 443
Christannia C. Presl, 205, 207
—— *salicifolia* C. Presl., 207, 208
Chthamalia Decne., 31, 32
—— *cuyabensis* Malme, 32
—— *humifusa* E. Fourn., 32
—— *major* E. Fourn., 32
—— *purpurea* Decne., 32
Cineraria L., 167, 168, 174 – 176, 449, 450*, 451, 452, 453*, 454*, **455***, 459*, 462*, 464*, 466, 471*, 474, 475*, 476*, 479, 489, 521, 522, 526 – 529
—— ***abyssinica*** Sch. Bip. ex A. Rich, 167, 449, 456, 459*, **463**, 465, 466
—— —— forma *longiradiata sensu* Oliv., 468
—— *aitoniana* Spreng., 504
—— *albicans* auct. non N. E. Br., 506
—— ***albicans*** N. E. Br., 452, 458, 459*, **482**, 483, 484
—— *albomontana* Hilliard, 526
—— ***alchemilloides*** DC., 450*, **512**, 513, 514
—— —— subsp. ***alchemilloides***, 457, 476*, 512, **513**, 514
—— —— subsp. ***namibiensis*** Cron, 449, 451, 455*, 457, 499, 512, **513**, 514
—— ***anampoza*** (Baker) Baker, 167, 449, 451, 458, **488**, 489
—— —— f. ***anampoza***, 489, **490**
—— —— f. ***hygrophila*** (Klatt) Cron, 489, **490**
—— —— subvar. *hygrophila* (Klatt) Humbert, 456, 490
—— ***angulosa*** Lam., 458, 476*, 521, **522**, 523
—— *arctotidea* DC., 479
—— *argillacea* Cron, 527
—— ***aspera*** Thunb., 450*, 451, 457, 459*, 471*, **499**, 501 – 504, 507
—— ***atriplicifolia*** DC., 452, 456, 459*, **466**, 468, 474, 477, 498
—— ***austrotransvaalensis*** Cron, 452, 458, 460*, 462*, **483**, 484
—— *barbosae* Torre, 167, 175
—— *bequaertii* De Wild., 468
—— *bracteosa* O. Hoffm., 468, 474
—— *britteniae* Hutch. & R. A. Dyer, 490, 492, 495
—— *buchananii* S. Moore, 468, 474
—— *burkei* Burt Davy & Hutch., 499, 503
—— ***canescens*** Wendl. ex Link, 176, 455*, 497, **504**, 505, 507, 508, 513, 514
—— —— var. ***canescens***, 457, 471*, 473*, 504, 505, **506**
—— —— var. ***flabellifolia*** Harv., 457, 471*, 504, 505, **506**, 507
—— *chamaedrifolia* Lam., 528
—— *cordifolia* Jacq., 528
—— ***cyanomontana*** Cron, 457, 471*, 499, **504**
—— ***decipiens*** Harv., 458, 459*, 466, 468, **474**, 477
—— ***deltoidea*** Sond., 167 – 169, 175, 449, 450*, 452, 456, 458, 459*, 466, **468**, 470, 474, 477, 508, 511, 526
—— *densiflora* R. E. Fr., 468
—— *dieterlenii* E. Phillips, 490, 492, 495
—— *dregeana* DC., 527
—— ***dryogeton*** Cron, 457, 462*, 464*, 485, 487, **488**,
—— ***erodioides*** DC., 175, 457, 458, 462*, 466, 467*, 469*, 483, 484, 487, **490**, 491 – 493, 495, 498, 516, 522
—— —— var. ***erodioides***, 491, **495**, 497
—— —— var. ***tomentosa*** Cron, 449, 451, 491, 495, **497**
—— ***erosa*** (Thunb.) Willd., 176, 457, 471*, 473*, 483, 503 – 505, **506**, 507, 508
—— *exilis* DC., 451, 527
—— ***foliosa*** O. Hoffm., 449, 457, 475*, 508, **509**, 510
—— *fruticetorum* Taylor, 492
—— ***geifolia*** (L.) L., 451, 452, 455, 458, 476*, 492, 515, 516, **521**, 522, 523
—— —— var. *glabra*, 521
—— ***geraniifolia*** DC., 452, 456, 462*, 464*, **485**, 486 – 489, 526
—— —— var. *oligocephala* DC., 486
—— —— var. *paniculata* DC., 486
—— —— var. *stipulosa* DC., 486
—— ***glandulosa*** Cron, 452, 458, 462*, 466, 468, **497**, 498
—— *gracilis* Hoffm., 468, 474
—— ***grandibracteata*** Hilliard, 450*, 452, 456, 459*, 460*, **481**, 482, 483
—— *grandiflora* Vatke, 167, 466, 468
—— *hamiltoni* S. Moore, 499, 503
—— *hederifolia* Cron, 527
—— ***huilensis*** Cron, 167, 168, 173*, **174**, 175 – 177, 456, 457, 459*, 470, **477**, 478
—— *humifusa* L'Herit., 523
—— *hygrophila* (Klatt) Klatt, 488, 489
—— *hypoleuca* Reichenb., 495
—— *kilimandscharica* Engl., 468, 474
—— *lanata* Jacq., 526
—— *lanosa* DC., 526
—— *laxiflora* R. E. Fr., 468

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— ***lobata*** L'Hér., 458, 478*, 485, 495, **514**, 515, 516, 520 – 522, 526
—— —— var. *gracillima* DC., 515
—— —— var. *pappei* Harv., 515, 516
—— —— subsp. ***lasiocaulis*** Cron, 449, 512, 515, 516, **518**
—— —— subsp. ***lobata***, 476*, 478*, 495, 512, 513, 515, **516**, 520
—— —— subsp. ***platyptera*** Cron, 449, 451, 512, 515, 516, **518**, 524
—— —— subsp. ***soutpansbergensis*** Cron, 449, 451, 457, 477, 478*, 512, 515, 516, **519**, 520
—— ***longipes*** S. Moore, 456, 464*, **484**, 485
—— *lyrata* DC., 461, 463
—— ***lyratiformis*** Cron, 451, 455, 456, 459*, 460, **461**, 463, 526
—— ***magnicephala*** Cron, 449, 451, 458, 475*, 476*, 508, **511**, 512
—— ***mazoensis*** S. Moore, 167, 168, **171**, 177, 457, **508**, 509 – 511
—— —— var. ***graniticola*** Cron, 167, 169, **171**, 172*, 173*, 174 – 177, 452, 455*, 471*, 475*, 508, **509**, 510
—— —— var. ***mazoensis***, 169, **171**, 172*, 174, 177, 457, 471*, 508, **509**, 510
—— *mendesii* Torre, 167, 175
—— *microglossa* DC., 527, 528
—— *mitellifolia* L'Hér., 528
—— ***mollis*** E. Mey. ex DC., 452, 457, 459*, 460*, **479**, 481
—— —— var. *polyglossa* (DC.) Harv., 479
—— *monticola* Hutch., 468
—— ***ngwenyensis*** Cron, 449, 451, 457, 476*, 480*, 512, **519**, 520
—— *othonnoides* Harv., 452, 529
—— *oxyodonta* DC., 507
—— *paracanescens* Torre, 474
—— *parviflora* Aiton, 504, 505
—— *parviflora* M. Bieb., 458, 476
—— ***parvifolia*** Burtt Davy, 524, **525**, 526
—— *pedunculosa* DC. , 523, 527, 529
—— *pentactina* Hook f., 526
—— *pinnata* O. Hoffm. ex Schinz, 168, 455*, 458, 476*, **524**, 525, 526
—— ***platycarpa*** DC., 450*, 458, 463, 476*, **523**, 524
—— *polycephala* DC., 490, 495
—— *polyglossa* DC., 479
—— *prittwitzii* O. Hoffm., 468
—— ***pulchra*** Cron, 167, **168**, 169, 170*, 175, 176, 452, 458, 475*, 508, **510**, 511, 512
—— *pumila* Thunb., 523
—— *purpurata* L., 529
—— ***saxifraga*** DC., 451, 458, 476*, 516, **520**, 521
—— —— var. *axillipila* DC., 520, 521, 526
—— *sebaldii* Cufod., 465, 466
—— *sonchifolia* L., 529
—— *spinulosa* Lam., 529
—— *tomentosa* Less., 452, 529
—— *tussilaginea* Thunb., 490, 495
—— *tussilaginis* L'Hér., 495
—— ***vagans*** Hilliard, 452, 456, 462*, 485, **487**, 488
—— ***vallis-pacis*** Dinter ex Merxm., 457, 462*, 463, **498**, 499
—— *vallispacis* Range, 498
—— *viscosa* L'Hér., 529
—— *volubilis* Spreng. f., 526
Cleistanthus Hook. f. ex Planch., 39, 41, 42
Cleistocalyx Blume, 107, 113
—— *arcuatinervium* Merr., 138
—— *barringtonioides* Merr. & L. M. Perry, 111
Clinopodium, 419 – 421
—— *cryptanthum* (Vatke) Kuntze, 427
—— *gracile* (Benth.) Kuntze, 421
—— ***kilimandschari*** (Gürke) Ryding, 419 – 422, 424, 426*, 429, **430**, 431
—— *simense* (Benth.) Kuntze, 419 – 422, 424, 426*, **427**, 428, 429
Clinopodium uhligii (Gürke) Ryding, 419, 421, 422, **424**, 427, 429
—— —— var. ***obtusifolium*** (Avetta) Ryding, 419, 422 – 424, **425**, 426*, 427 – 429
—— —— var. ***uhligii***, 419, 421, 422 – 424, **425**, 426*, 429
—— *umbrosum* (M. Bieb.) C. Koch, 421
Cocconerion Baill., 193
Coelostegia Benth., 443
Coffea bakossii Cheek & Bridson, 591
—— *montekupensis* Stoffelen, 591
Coleus koualensis A. Chev. ex Hutch. & Dalziel, 229
Coltricia cinnamomea (Pers.) Murrill, 56
—— *spathulata* (Hook.) Murrill, 69
Compositae, 449
Conicosia N. E. Br., 361
Conophytum N. E. Br., 361
Convallaria, 158
Convallariaceae, 158
Coriolopsis badius (Berk.) Murrill, 56
—— ***byrsina*** (Mont.) Ryvarden, **58**, 59
—— *caperata* (Berk.) Murrill, 59
—— ***strumosa*** (Fr.) Ryvarden, **59**
Crinum, 569 – 571, 573
—— *abyssinicum* Hochst. ex A. Rich., 570, 573, 576
—— *acaule* Baker, 570, 571, 573, 576
—— *americanum* L., 570, 573, 576
—— *asiaticum* L., 570, 573, 576
—— *aurantiacum* Lehmiller, 569
—— *binghamii* Nordal & Kwembeya, 569
—— *buphanoides* Welw. ex Baker, 570, 573, 576
—— *carolo-schmidtii* Dinter, 569 – 571, 573, 576
—— *crassicaule* Baker, 569 – 571, 573, 576
—— *distichum* Herb., 570, 573, 576
—— *glaucum* A. Chev., 569, 573
—— *jagus* (J. V. Thomps.) Dandy, 570, 573, 576
—— ***jasonii*** Bjorå & Nordal, 569 – 571, 572*, **573**, 574*, 575*, 576
—— *kirkii* Baker, 570, 573, 576
—— *macowanii* Baker, 569 – 571, 573, 574*, 576
—— *mauritianum* Lodd., 570, 573, 576
—— *minimum* Milne-Redh., 570, 571, 573
—— *moorei* Hook. f., 570, 576
—— *ornatum* (Aiton) Bury, 570, 573, 576
—— *paludosum* Verd., 569, 571
—— *papillosum* Nordal, 570, 573, 576
—— *politifolium* R. Wahlstr., 570, 573, 576
—— *purpurascens* Herb., 570, 573, 576
—— *rautanenianum* Schinz, 569 – 571, 573, 574*, 576
—— *subcernuum* Baker, 570, 573, 576
—— *walteri*, 576
Croizatia Steyerm., 38 – 42
Croizatieae G. L. Webster, 42
Croton L., 193, 609
—— ***longipedicellatus*** J. Léonard var. ***longipedicellatus***, **609**
Crotonoideae, 38, 193
Crypteronia macrophylla Beus.-Osinga, 118
Crypteroniaceae, 118
Cryptolepis sanguinolenta (Lindl.) Schltr. 254
Cuervea (Benth. & Hook.) Triana, 265
Cullenia Wight, 443
Cybistetes, 571
Cynanchum bicolor Andr., 250
—— *cordifolium* Retz., 249
—— *echinatum* Thunb., 249
—— *extensum* Jacq., 249, 250
—— *foetidum* (Cav.) Kunth, 254
—— *pendulum* Poir., 250
Cynometra L., 257, 259
—— *filifera* Harms, 259

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Cystostiptoporus violaceocinerascens (Petch) Ryvarden, 64
Cyttaranthus congolensis J. Léonard, **609**

Dacryodes Vahl, 579, 582
—— *afzelii* (Engl.) Lam, 582
—— *bampsiana* Pierlot, 580, 582
—— *buettneri*, 582
—— ***camerunensis*** Onana, **579**, 580, 581*, 582, 583
—— *dahomensis* (Engl.) Lam, 582
—— *ebatom* Aubrev. & Pellegr., 582
—— *edulis*, 582
—— *fraxinifolius* (Engl.) Lam, 582
—— *fusca* (Engl.) Lam, 582
—— *heterotricha*, 582
—— *igaganga*, 582
—— *klaineana* (Pierre) Lam., 579, 580, 582
—— *klaineana sensu* Aubrev., 582
—— *ledermannii* (Engl.) Lam, 582
—— *leonardiana* Pierlot, 580, 582
—— *letestui*, 582
—— *macrophylla*, 582
—— *normandii*, 582
—— *osika* (Guill.) Lam, 580
—— *tessmannii* (Engl.) Lam, 582
—— *trapnellii* Onana, 580, 582
—— *viridiflora*, 582
Dactylopsis N. E. Br., 353, 373, 374, **396**
—— ***digitata*** (Aiton) N. E. Br., 353, 354, 378, **396**, 400
—— —— subsp. ***digitata***, 395, **396**
—— —— subsp. ***littlewoodii***, 395, **397**
—— *littlewoodii* L. Bolus, 396, 397
Daedalea albida Fr., 58
—— *conchata* Bres., 60
Daemia angolensis Decne., 249
—— *cordifolia* var. *leiocarpa* K. Schum., 252
Danaea Sm., 17, 18, 25, 29
—— *acuminata* Tuomisto & R. C. Moran, 17, 25
—— ***arbuscula*** Christenh. & Tuomisto, 17, **18**, 19*, 20*
—— *bipinnata* Tuomisto, 17, 18, 25
—— ***cartilaginea*** Christenh. & Tuomisto, 17, **18**, 22*, 23
—— ***elliptica*** Sm., 17, 18, 23, 25, **29**
—— *erecta* Tuomisto & R. C. Moran, 23
—— *falcata* Tuomisto & R. C. Moran, 17, 25, 27
—— *humilis* T. Moore, 17, 25
—— *latipinna* Tuomisto & R. C. Moran, 23
—— *leprieurii* Kunze, 17, 18, 23
—— ***lingua-cervina*** Christenh. & Tuomisto, 17, 18, **23**, 24*, 25
—— *mazeana* Underw., 27
—— *media* Liebm., 23
—— *moritziana* C. Presl, 17, 25, 27
—— ***nodosa*** (L.) Sm., 17, 23, **29**
—— *oblanceolata* Stolze, 17, 25
—— *polymorpha* Lepr. ex Baker, 18
—— ***riparia*** Christenh. & Tuomisto, 17, **25**, 26*
—— *trichomanoides* Spruce ex T. Moore, 17
—— *ulei* H. Christ, 17, 21, 23, 25
—— *ulei sensu* Tuomisto & Moran, 18
—— ***vivax*** Christenh. & Tuomisto, 17, **25**, 27, 28*
Daramola, 595
Dasylirion, 158
Datronia caperata (Berk.) Ryvarden, **59**
—— ***scutellata*** (Schwein.) Gilb. & Ryvarden, **59**
Daubenya, 152, 156
—— *aurea* Lindl., 158
—— *stylosa* (W. F. Barker) A. M. Van der Merwe & J. C. Manning, 158
Decaspermum, 200
Detarieae, 161, 257
Deutzianthus Gagnep., 194
Dichomitus cavernulosus (Berk.) Masuka & Ryvarden, **59**
—— *citricremeus* Masuka & Ryvarden, 56
—— ***setulosus*** (Henn.) Masuka & Ryvarden, **60**
Dicliptera Nees, 413
Dicoelia Benth., 38 – 40, 43, 44
Dicoelieae, 38
Didymocistus Kuhlm., 46
Didymopanax, 187
Dimorphocalyx Thwaites, 193
Diospyros kupensis Gosline, 591
Dipcadi, 149 – 151
—— *filifolium* Baker, 150, 157
—— *viride* (L.) Moench, 149, 157
Diplodiscus Turcz., 443
Diplolophium Turcz., 239
—— *africanum*, 242
—— ***boranense*** Bidgood & Vollesen, **239**, 240*, 241, 242
—— *buchananii*, 242
—— *somaliense* Verdc., 239, 241, 242
—— *zambesianum*, 242
Discocarpinae Pax & K. Hoffm., 42
Discocarpus Klotzsch, 42, 50
Diseae, 261
Disperma C. B. Clarke, 289, 297
—— *affine* (Lindau) S. Moore, 300
—— *angolense* C. B. Clarke, 300
—— *crenatum* (Lindau) Milne-Redh., 326
—— *densiflorum* C. B. Clarke, 311
—— *dentatum* C. B. Clarke, 300
—— *eremophilum* Milne-Redh., 315
—— *gossweileri* S. Moore, 307
—— *kilimandscharicum* (Lindau) C. B. Clarke, 323
—— —— var. *bracteolatum* C. B. Clarke, 323
—— *nudanthera* (C. B. Clarke) Milne-Redh., 337
—— *parviflorum* (Lindau) C. B. Clarke, 326
—— *quadrangulare* (Klotzsch) C. B. Clarke, 300
—— *quadrisepalum* C. B. Clarke, 326, 329
—— —— var. *grandifolium* S. Moore, 326
—— *scabridum* S. Moore, 307, 308
—— *sessilifolium* (Lindau) S. Moore, 307
—— *trachyphyllum* Bullock, 331
—— *transvaalense* Schinz, 307
—— *viscidissimum* S. Moore, 300
Disperma J. F. Gmel., 290
Distichirrhops Haegens, 47
Doemia R. Br., 246
—— ['*Daemia*'] *aethiopica* Decne., 249
—— ['*Daemia*'] *angolensis* Decne., 249
—— ['*Daemia*'] *barbata* Klotzsch, 251
—— ['*Daemia*'] *barbata* Schltr., 250
—— ['*Daemia*'] *bicolor* Sweet, 250
—— ['*Daemia*'] *cordata* (Forssk.) R. Br. ex Schult., 248
—— —— var. *schmittiana* (Pomel) Batt., 248
—— ['*Daemia*'] *cordifolia* (Retz.) K. Schum., 249
—— ['*Daemia*'] *extensa* (Jacq.) W. T. Ait., 249, 250
—— ['*Daemia*'] *forskalii* Schult., 249
—— ['*Daemia*'] *garipensis* E. Mey., 252
—— ['*Daemia*'] *glabra* (Forssk.) Schult., 249
—— ['*Daemia*'] *guineensis* G. Don, 249
—— ['*Daemia*'] *incana* Decne, 248
—— ['*Daemia*'] *scandens* (P. Beauv.) G. Don ex Loud., 249
—— ['*Daemia*'] *schmittiana* Pomel, 248
Doria erosa Thunb., 507
Dorotheanthus Schwantes, 358
Dovyalis, 595, 596
—— ***cameroonensis*** Cheek & Ngolan, 595, 596, **597**, 598*, 599, 600
—— ***macrocarpa*** Bamps, 595, **596**, 597

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *maliformis* Gilg, 595, 596
—— sp. nov. (1) Eggeling & Dale, 596
—— sp. nov. Cheek *et al.*, 597
—— ***spinosissima*** Gilg, 595, **596**, 599
—— *spinosissima sensu* Sleumer, 597
Drimia Jacq., 149, 156
—— *anomala* (Baker) Baker, 148*, 157
Drimiopsis Lindl. & Paxton, 146, 152, 156
—— *botryoides* Baker, 152, 153, 154*, 158
—— *kirkii* Baker, 151*, 152, 153, 158
—— *maculata* Lindl., 152, 158
Drosanthemum Schwantes, 358
—— *longipes* (L. Bolus) H. E. K. Hartmann, 358
Drypeteae, 38 – 40
Drypetes Vahl, 37, 38
Duosperma Dayton, 289 – 292, 295, 296, **297**, 331, 345
—— ***actinotrichum*** (Chiov.) Vollesen, 289, 290, 292, 298, **313**, 315, 324
—— *angolense* (C. B. Clarke) Brummitt, 300
—— ***clarae*** Champl., 289, 292, 298, **308**, 310
—— ***crenatum*** (Lindau) P. G. Meyer, 289 – 292, 299, **326**, 327*, 329, 330, 331
—— ***cuprinum*** Brummitt, 289, 292, 298, **323**, 324
—— ***densiflorum*** (C. B. Clarke) Brummitt, 292, 298, **311**, 314, 324
—— *dentatum* (C. B. Clarke) da Silva *et al.*, 300
—— ***dichotomum*** Vollesen, 289, 292, 298, **303**, 306
—— *eremophilum* (Milne-Redh.) Brummitt, 315, 316
—— ***fanshawei*** Brummitt, 292, 298, 306, **310**, 312*
—— ***fimbriatum*** Brummitt, 292, 299, **337**, 340*, 341
—— ***glabratum*** Vollesen, 292, 299, **339**, 341
—— ***grandiflorum*** Vollesen, 289, 290, 292, 297, 298, **320**, 321*, 324
—— ***kilimandscharicum*** (Lindau) Dayton, 290, 292, 297, 299, **323**, 327*, 328
—— ***latifolium*** Vollesen, 292, 299, 328, **329**, 332*
—— ***livingstoniense*** Vollesen, 292, 299, 328, **334**, 335*
—— ***longebracteolatum*** Vollesen, 292, 298, 310, **313**
—— ***longicalyx*** (Deflers) Vollesen, 290, 298, 299, **315**
—— —— subsp. ***longicalyx***, 291, 292, **316**, 317, 318, 319*
—— —— subsp. ***magadiense*** Vollesen, 292, 316, 317, **318**, 319*
—— —— subsp. ***mkomaziense*** Vollesen, 292, 316, **317**, 318, 319*
—— *minutum*, 344
—— ***nudantherum*** (C. B. Clarke) Brummit, 292, 299, 323, **337**, 338, 339, 340*
—— ***parviflorum*** Hedren & Vollesen, 289, 292, 299, **342**, 343*
—— ***porotoense*** Vollesen, 292, 299, 324, **333**, 337
—— ***quadrangulare*** (Klotzsch) Brummitt, 289, 290, 292, 298, **300**, 301*, 302, 303, 305, 307, 308, 331
—— ***rehmannii*** (Schinz) Vollesen, 292, 299, 307, 330, **342**, 343*, 345
—— ***sessilifolium*** (Lindau) Brummit, 292, 298, **307**, 309*, 310
—— sp. A *sensu* Agnew, 320
—— sp. B *sensu* Agnew, 305
—— sp. near *nudanthera* (C. B. Clarke) Milne-Redh., 337
—— sp. *sensu* Luke & Robertson, 318
—— ***stoloniferum*** Vollesen, 290, 292, 298, 317, **318**, 321*, 324
—— ***subquadrangulare*** Vollesen, 292, 298, 304*, **305**, 306, 307
—— ***tanzaniense*** Vollesen, 289, 290, 292, 294*, 298, 299, 324, **333**, 334, 335*, 337
—— ***trachyphyllum*** (Bullock) Dayton, 289, 290, 292, 297, 328, **331**, 332*, 333, 334
—— ***transvaalense*** (Schinz) Vollesen, 292, 298, 302, **307**, 344, 345
Durio, 443
Durionaceae Cheek, **443**
Dyschoriste Nees, 290 – 292, 433
—— *actinotricha* Chiov., 313
—— *depressa sensu* C. B. Clarke, 434
—— *hildebrandtii* (S. Moore) S. Moore, 436
—— ***keniensis*** Malombe, Mwachala & Vollesen, **433**, 434, 436
—— —— subsp. ***glandulifera***, 433, 434, 435*, **436**, 437
—— —— subsp. ***keniensis***, 433, **434**, 435*, 436, 437
—— *kilimandscharica* Lindau, 323
—— *kilimandscharicum* (Lindau) C. B. Clarke, 323
—— —— var. *bracteolatum* C. B. Clarke, 323
—— *longicalyx* (Deflers) Lindau ex O. Schwartz, 315
—— *mutica*, 293*
—— *nudanthera* C. B. Clarke, 337
—— *quadrisepala* (C. B. Clarke) Lindau, 326, 329
—— sp. A *sensu* Agnew, 434
—— sp. nov. (= *L. D. Harris* 129) *sensu* Vollesen *et al.*, 434
Dysophylla, 619
—— *auricularia* (L.) Blume var. *gigantea* Doan, 619, 620
—— *globulosa* Doan, 619
—— *nana* Doan, 619, 620
—— *petelotii* Doan, 619, 620

Earliella scabrosa (Pers.) Gilb. & Ryvarden, **60**
Echinochaete brachypora (Mont.) Ryvarden, **60**, 61
Elachyptera A. C. Sm., 265
Elmerrilla Dandy, 183
Eriocoelum Hook. f., 277, 279
—— ***dzangensis*** D. J. Harris & Wortley, **277**, 278*, 279, 280
—— *kirstingii* Gilg ex Engl., 277
—— *microspermum* Gilg. ex Radlk., 277
—— *oblongum*, 277, 280
—— sp. aff. *oblongum* Keay, 277
Erythrococca, 609
—— ***atrovirens*** (Pax) Prain var. ***flaccida*** (Pax) Radcl.-Sm., **610**
Eucalypteae, 200
Eucomis L'Hér., 152, 156
—— *bicolor* Baker, 158
—— *comosa* Hort. ex Wehrh., 158
—— *humilis* Baker, 153*, 158
—— *punctata* L'Hér., 158
Eugenia L., 107, 200
—— *barringtonioides* Ridl., 111
—— *brunnea* (O. Berg) Neid., 200
—— *castanea* Merr., 114
—— *garcinifolia* King, 123
—— *nigricans* King, 130
—— *reinwardtiana* DC., 118
Euphorbia L., 37
Euphorbiaceae Juss., 37 – 39, 99, 193, 194, 609
Euphorbioideae, 38

Favolus bipindiensis Henn., 70
—— *brasiliensis* (Fr.) Fr., 70
—— *tenuiculus* P. Beauv., 70
—— *tesselatus* Mont., 70
Ficus, 445
Flabellophora obovata (Jungh.) Núñez & Ryvarden, **61**
Flacourtiaceae, 205, 595, 600
Flueggea Willd. *pro parte*, 37 – 39, 44
—— ***gracilis*** (Merr.) Petra Hoffm., **44**
Fockea edulis (Thunb.) K. Schum. 254
Fomes albotextus Lloyd, 63
—— *allardii* Bres., 67
—— *noxius* Corner, 68
—— *senex* (Nees & Mont.) Cooke, 69
Fomitopsis scutellata (Schwein.) Bondartsev & Singer, 59
Fortunatia G. F. Macbride, 146
—— *biflora* (Ruiz & Pav.) J. F. Macbr., 157
Fraunhofera Mart., 265
Funalia leonina (Klotzsch) Pat., **61**

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Galearieae, 38
Galtonia, 149 – 151
—— aff. *viridiflora* Verd., 150*, 151, 157
—— *candicans* (Baker) Decne., 157
Ganoderma aff. ***lucidum*** (Curtis) P. Karst., **61**, 62
—— *australe* (Fr.) Pat., 56
—— *fulvellum* Bres., 61, 62
—— ***hildebrandii*** Henn., **61**
—— *lucidum*, 61
—— *preussii* Henn., 57
Garcinia L., 613
—— sect. *Kiras* Pierre, 613
—— *buchananii* Bak., 613
—— *ferrea* Pierre, 613
—— ***tanzaniensis*** Verdc., **613**, 614*
Gesneriaceae, 273
Glochidion J. R. & G. Forst., 37, 44, 45
Gloeomucro R. H. Petersen, 223
—— *chlorinus* R. H. Petersen, 223, 224
—— ***dependens*** (Berk. & M. A. Curtis) P. Roberts, **223**, 224
Gloeophyllum striatum (Sw.) Murrill, 62
Gloeoporus thelephoroides (Hook.) G. Cunn., **62**
Gluema Aubrév. & Pellegr., 79, 83
—— *ivorensis* Aubrév. & Pellegr., 79, 80, 83
—— ***korupensis*** Burgt, **79**, 80, 81*, 82*, 83
Goldfussia anfractuosa (C. B. Clarke) Bremek., 14
—— *chaffonjonii* (H. Lév.) E. Hossain, 12
—— *dimorphotrica* Hance (Bremek.), 12
—— *equitans* (H. Lév.) E. Hossain, 12
—— *geniculata* (C. B. Clarke) Bremek., 12
—— *laotica* Bremek., 14, 15
—— *pentstemonoides sensu* auct. mult. incl. E. Hossain, 12
—— *pluriformis* (C. B. Clarke) Bremek., 9
—— *psilostachys* (C. B. Clarke ex W. W. Sm.) Bremek., 12
—— *rex* (C. B. Clarke) Bremek., 14
—— *seguinii* (H. Lév.) C. Y. Wu & C. C. Hu, 12
—— *talangensis* Bremek., 10
Gomphostemma grandiflorum Doan ex S. Suddee & A. J. Paton, 619, **620**
—— *grandiflorum* Doan, 620
Gomphrena L., 565, 566
—— *fuscipellita* T. Ortuño & Borsch, 567
—— *mizqueensis* T. Ortuño & Borsch, 567
—— *perennis*, 567
—— ***stellata*** T. Ortuño & Borsch, 565, **566**, 567*
Gomphrenoideae, 565
Gonatogyne Klotzsch ex Müll. Arg., 41, 42
Goniodiscus Kuhlm., **265**
—— ***elaeospermum*** Kuhlm., **265**
Goniothalamus, 136
Gonolobinae, 31 – 33
Gonolobus Michx., 31
—— *argentinensis* T. Mey., 31
—— —— var. *macrophyllus* T. Mey., 31
—— *boliviensis* (Schltr.) T. Mey., 31
—— *fiebrigii* Schltr., 31
—— *friesii* (Malme) T. Mey., 31, 32
—— *hirsutissimus* Schltr., 31, 32
—— *hirtus* Griseb., 31, 32
—— —— var. *longipedunculatus* T. Mey., 32
—— *lilloanus* T. Mey., 32
Gothofreda Vent., 32
—— *gracilis* Morong, 33
Grammothele delicatula (Henn.) Ryvarden, **62**
—— ***fuligo*** (Berk. & Broome) Ryvarden, **62**, 63
—— ***lineata*** Berk. & M. A. Curtis, **63**
—— *setulosa* (Henn.) Ryvarden, 60
Guttiferae, 613
Gymnosporia (Wight & Arn.) Hook., 265
Gyrostelma E. Fourn., 33
—— *oxypetaloides* E. Fourn., 33

Hainania Merr., 443
Hasseltiopsis, 206
Helictotrichon angustum C. E. Hubb., 244
—— ***arctum*** *Cope*, **243**
—— *elongatum* (Hochst. ex A. Rich.) C. E. Hubb., 244
—— *umbrosum* (Steud.) C. E. Hubb., 244
Helwingiaceae, 537
Hermannia L., 215, 217, 221
—— *albiensis*, 218
—— *athiensis* K. Schum., 217 – 219
—— *fischeri* K. Schum., 217
—— *boranensis* K. Schum., 217
—— *macrobotrys* K. Schum., 217
—— *paniculate*, 221
—— ***pseudathiensis*** Cheek, 215, **217**, 218*, 219
—— ***pseudofischeri*** Cheek, **215**, 216*, 217
—— *uhligii* Engl., 217, 219
—— ***vollesenii*** Cheek, 215, **219**, 220, 221
Heywoodia Sim., 43
Hieronyma Allemão, 46, 47
Hieronymeae, 46
Hieronyminae Müll. Arg., **47**
Hippocratea L., 265
Hippocrateoideae (Juss.) Lindl., 265
Homalium, 206
—— sect. *Pineda* (Ruiz & Pav.) Pers., 207
—— *incanum* (Ruiz & Pav.) Pers., 208
Hosta, 158
Hyacinthaceae, 145, **146**, 156, 158
Hyacintheae, 145, 146, **153**, 156 – 158
Hyacinthella, 146, 153 – 156
—— *dalmatica* Chouard, 157
—— *glabrescens* (Boiss.) K. M. Perss. & Wendelbo, 157
—— *heldreichii* (Boiss.) Chouard, 154, 155*, 157
—— *italica* (L.) Rothm., 157
—— *leucophaea* (K. Koch) Schur subsp. *atchleyi* (A. J. Jacks. & Turrill) K. Perss. & Jim. Perss., 157
—— *millingenii* (Post) Feinbrun, 157
—— *nervosa* (Bertol.) Chouard, 157
—— *orientalis* L. subsp. *chionophilus* Wendelbo, 157
—— *vincentina* (Link & Hoffmanns.) Rothm., 157
Hyacinthoideae, 145, 146, 151*, 155 – 157
Hyacinthoides, 153 – 156
—— *hispanica* (Mill.) Rothm, 157
—— *italica*, 154
Hyacinthus, 153 – 156
—— *orientalis* L., 153
—— —— subsp. *chionophilus*, 154, 155
—— —— subsp. *orientalis*, 155, 157
Hygrophila R. Br., 290 – 292, 345
—— *affinis* Lindau, 300
—— *crenata* Lindau, 326
—— *glutinifolia sensu* Lindau, 300
—— *parviflora* Lindau, 326, 329
—— *quadrangularis* (Klotzsch) Lindau, 300
—— *rehmannii* Schinz, 342
—— *schulli*, 293*
—— *sessilifolia* Lindau (1903), 307
—— *sessilifolia sensu* Lindau (1914), 300
Hymenocardia Wall. ex Lindl., 39, 46
Hymenocardiaceae Airy Shaw, 46
Hymenocardieae Hutch., 37
Hymenocardiinae Petra Hoffm., 45, **46**
Hyptidinae, 89

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Hyptis Jacq., 85, 89 – 92, 94
—— sect. *Cyanocephalus* Benth., 94, 97
—— —— subsect. *Argenteae* Epling, 94
—— —— subsect. *Cordifoliae* (Benth. in DC.) Epling, 94
—— —— subsect. *Lippeastra* Epling, 94
—— —— subsect. *Longifoliae* Epling, 94, 95, 97
—— —— subsect. *Rigidae* (Benth. in DC.) Epling, 94
—— —— subsect. *Rugosae* Epling, 94, 95
—— —— subsect. *Virgatae* Epling, 94
—— sect. *Hyptis*, 92
—— sect. *Mesosphaeria* Benth., 90
—— *alpestris* St.-Hil. ex Benth., 89
—— *apertiflora* Epling, 95
—— *atrorubens* Poit., 86
—— *brevipes*, 86
—— *camporum* Benth., 95
—— *capitata* Jacq., 92, 93*, 94
—— *caprariifolia* Pohl ex Benth., 97
—— *crenata* Pohl ex Benth., 89
—— *cuneata* Pohl ex Benth., 89
—— *dumetorum* Morong, 89
—— *ferruginosa* Pohl ex Benth., 89
—— *graveolens* Salzm. ex Benth., 90, 91
—— *graveolens* Schrank, 90, 91
—— *graveolens sensu* Benth., 91
—— *lanceaefolia* Schumach., 85 – 87
—— *lanceifolia* Thonn., 85, 87
—— ***lanceolata*** Poir., 85, 86, **87**
—— *lavandulacea* Pohl ex Benth., 89
—— *lobata* St.-Hil. ex Benth., 89
—— *microphylla* Pohl ex Benth., 89
—— *mikanii* Benth. ex Schmidt, 91
—— ***multibracteata*** Benth., 89, **91**
—— *muricata* Schott ex Benth., 89
—— ***pedunculariis*** Benth., 94, **95**
—— *polyantha* Poit., 90, 91
—— *propinqua* Epling, 89
—— *recurvata* Poit., 89
—— ***riparia*** Harley, 89, **92**, 93*, 94
—— *rugosa* Benth., 94
—— ***sidifolia*** (L'Hér.) Briq., 89, 90, **91**
—— *spicigera* Lam., 89
—— ***suaveolens*** (L.) Poit., 90, **91**
—— ***tacianae*** Harley, 89, **95**, 96*, 97
—— *tenuifolia* Epling, 89, 95
—— *tripartita* Briq., 97
—— *uliginosa* St.-Hil., 89
—— *umbrosa* Salzm. ex Benth., 89 – 91
—— —— var. *mikanii* Benth., 90, 91

Icacinaceae, 537
Igidia Speta, 149
Ilex, 537, 538
—— *apoensis* Elm., 545
—— *brunnea* Merr., 545
—— ***cristata*** Merr. & Perry, 538, 539*, **541**
—— *halconensis* Merr., 545
—— *havilandii* Loes., 545
—— ***malaccensis*** Loes., **538**, 540 – 543
—— —— var. ***ferruginifolia*** D. M. Hicks, 537, **538**, 539*, 540, 545
—— —— var. *stenura* Merr. & Perry, 540, 541
—— *microthyrsa* Loes. ex Elm., 545
—— ***obovata*** D. M. Hicks, 537, 538, **545**, 546*
—— *pseudoembelioides*, 541
—— *pulogensis* Merr., 545
—— *racemifera* Loes., 545
—— ***scabridula*** Merr. & L. M. Perry, 538, 539*, 541, **542**, 543
—— *spicata* Blume, 543, 545, 547
—— *stapfiana* Loes., 543
—— ***stenura*** (Merr. & Perry) D. M. Hicks, 538, 539*, **540**, 541, 542
—— ***toroidea*** D. M. Hicks, 537, 538, **543**, 544*
Impatiens frithii Cheek, 591
Incrustoporia nivea (Jungh.) Ryvarden, 73
Indagator Halford, 443
Iridaceae, 156
Iris, 158
Ischnoderma albotextum (Lloyd) D. A. Reid, 63
Ixioideae, 156

Jablonskia G. L. Webster, 38, 39, 48
Jablonskieae Petra Hoffm., 37, **48**
Jarandersonia Kosterm., 443
Jatropheae, 194
Junghuhnia crustacea (Jungh.) Ryvarden, **63**
Justica L., 289, 415
—— *campylostemon sensu* C. B. Clarke, 409
—— *macilenta* E. Mey., 409
—— *tenuipes* S. Moore, 414, 415

Keayodendrinae Petra Hoffm., 37, 42
Keayodendron Leandri, 41, 42
Keetia E. P. Phillips, 591
—— ***bakossiorum*** Cheek, 591, **592**, 593*
—— *carmichaelii* Bridson, 591
Kmeria (Pierre) Dandy, 183
Kostermansia Soegeng, 443

Labiatae, 225, 419, 615
Lachenalia J. Jacq. ex Murray, 152, 153, 156
—— *ensifolia* (Thunb.) J. C. Manning & Goldblatt, 158
—— *orthopetala* Jacq., 158
—— *purpureo-caerulea* Jacq., 147*, 151*, 152, 158
—— *unicolor* Jacq., 158
Lachnostylis Turcz., 42, 43
Laetiporus persicinus (Berk. & M. A. Curtis) Gilb., 63
—— *sulphureus* (Fr.) Murrill, 56
—— *tephropora* (Mont.) Ryvarden, 56
Lagarosolen W. T. Wang, 273
—— ***coriaceifolium*** Y. G. Wei, **273**, 274*, 275
—— *hispidus* W. T. Wang, 273, 275
—— *integrifolius* D. Fang & L. Zeng, 273, 275
Lamiaceae, 85, 89, 90, 420, 549, 619
Laschia crustacea Jungh., 63
Ledebouria Roth, 146, 152, 153
—— *botryoides* (Baker) J. C. Manning & Goldblatt, 158
—— *petiolata* J. C. Manning & Goldblatt, 158
—— *revoluta* (L. f.) Jessop, 151*, 152, 158
—— *sandersonii*, 156
—— *socialis* (Baker) Jessop, 158
Leguminosae, 161, 257, 559
Lenzites striata (Sw.) Fr., 62
Leopoldia, 153 – 156
—— *caucasica* (Griseb.) Losinsk., 155, 157
—— *comosa* (L.) Parl., 157
Lepidium, 427
Leptonema A. Juss., 46, 47
Leptonematinae Müll. Arg., **47**
Leptopus Decne., 39, 41, 43
Leptopus sensu Webster, 41
Leptospermeae, 200
Lepturus calcareus Cope, 244
—— ***nesiotes*** *Cope*, 243, **244**
—— *pulchellus* (Balfour) Clayton, 244
—— *tenuis* Balfour, 244
Leucochloron Barneby & J. W. Grimes, 559, 560, 562

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— ***bolivianum*** C. E. Hughes & Atahuachi, **559**, 560, 561*, 562, 563
—— *foederale* (Barneby & Grimes) Barneby & Grimes, 562
—— *incuriale* (Vellozo) Barneby & Grimes, 562, 563
—— *limae* Barneby & Grimes, 560, 562, 563
—— *minarum* (Harms) Barneby & Grimes, 562, 563
Lignosus sacer (Fr.) Ryvarden, **64**
Liliaceae, 145
Lilioideae, 145
Lingelsheimia Pax, 38 – 40, 44
Liriope, 158
Lithops N. E. Br., 361
Loerzingia Airy Shaw, 194
Loweporus fuscopurpureus (Pers.) Ryvarden, 56
—— *inflexibilis* (Berk.) Ryvarden, 66, 67
—— *roseoalbus*, 56
Lygisma angustifolia (Wight) Hook. f., 253
Lythraceae, 97

Macaronesia, 90
Maesobotrya Benth., 47
Magnolia L., 183
—— ***aromatica*** (Dandy) V. S. Kumar, **183**
—— ***chevalieri*** (Dandy) V. S. Kumar, **183**
—— ***conifera*** (Dandy) V. S. Kumar, **183**
—— —— var. ***chingii*** (Dandy) V. S. Kumar, **183**
—— ***crassipes*** (Y. W. Law) V. S. Kumarl, **184**
—— ***decidua*** (Q. Y. Zheng) V. S. Kumar, **184**
—— ***figlarii*** V. S. Kumar, **184**
—— *figo* (Lour.) DC. var. *crassipes* (Y. W. Law) Figlar & Noot., 184
—— ***fordiana*** (Oliv.) Hu var. ***calcarea*** (X. H. Song) V. S. Kumar, **184**
—— ***fordiana*** (Oliv.) Hu var. ***forrestii*** (W. W. Sm. ex Dandy) V. S. Kumar, **184**
—— ***fordiana*** (Oliv.) Hu var. ***kwangtungensis*** (Merr.) V. S. Kumar, **184**
—— ***garrettii*** (Craib) V. S. Kumar, **184**
—— ***grandis*** (Hu & W. C. Cheng) V. S. Kumar, **184**
—— ***hebecarpa*** (C. Y. Wu & Y. W. Law) V. S. Kumar, **184**
—— ***hongheensis*** (Y. M. Shui & W. H. Chen) V. S. Kumar, **184**
—— *kwangtungensis* Merr., 184
—— ***longipedunculata*** (Q. W. Zeng & Y. W. Law) V. S. Kumar, **184**
—— ***lucida*** (B. L. Chen & S. C. Yang) V. S. Kumar, **184**
—— ***megaphylla*** (Hu & W. C. Cheng) V. S. Kumar, **184**
—— *microtricha* (Hand.-Mazz.) Figlar, 185
—— ***moto*** (Dandy) V. S. Kumar, **185**
—— ***obovatifolia*** (C. Y. Wu & Y. W. Law) V. S. Kumar, **185**
—— ***ovoidea*** (H. T. Chang & B. L. Chen) V. S. Kumar, **185**
—— *pachyphylla* Dandy, 184
—— ***phuthoensis*** (Dandy ex Gagnep.) V. S. Kumar, **185**
—— ***rufibarbata*** (Dandy) V. S. Kumar, **185**
—— *szechuanica* (Dandy) Figlar, 184
—— ***tibetica*** V. S. Kumar, **185**
—— *utilis* (Dandy) V. S. Kumar, 185
—— ***ventii*** (N. V. Tiep) V. S. Kumar, **185**
—— ***yuyuanensis*** (Y. W. Law) V. S. Kumar, **185**
Magnoliaceae, 183
Magnolioideae, 183
Malpighiales, 37, 38
Malvaceae, 1, 443
Manglietia (Blume) Baill., 183
—— *aromatica* Dandy, 183
—— Blume, 183
—— *calcarea* X. H. Song, 184
—— *chevalieri* Dandy, 183
—— *chingii* Dandy, 183, 184
—— *conifera* Dandy, 183, 184
—— —— subsp. *chingii* (Dandy) J. Li, 183
—— *crassipes* Y. W. Law, 184
—— *decidua* Q. Y. Zheng, 184
—— *fordiana* Oliv., 185
—— —— var. *calcarea* (X. H. Song) B. L. Chen & Noot., 184
—— —— var. *forrestii* (W. W. Sm. ex Dandy) B. L. Chen & Noot., 184
—— —— var. *kwangtungensis* (Merr.) B. L. Chen & Noot., 184
—— *forrestii* W. W. Sm. ex Dandy, 184
—— *garrettii* Craib, 184
—— *grandis* Hu & W. C. Cheng, 184
—— *hebecarpa* C. Y. Wu & Y. W. Law, 184
—— *hongheensis* Y. M. Shui & W. H. Chen, 184
—— *kwangtungensis* (Merr.) Dandy, 184
—— *longipedunculata* Q. W. Zeng & Y. W. Law, 184
—— *lucida* B. L. Chen & S. C. Yang, 184
—— *megaphylla* Hu & W. C. Cheng, 184
—— *microtricha* Y. W. Law, 185
—— *moto* Dandy, 185
—— *obovatifolia* C. Y. Wu & Y. W. Law, 185
—— *ovoidea* H. T. Chang & B. L. Chen, 185
—— *pachyphylla* Chang, 184
—— *phuthoensis* Dandy ex Gagnep., 185
—— *rufibarbata* Dandy, 185
—— *szechuanica* Hu, 184
—— *utilis* Dandy, 185
—— *ventii* N. V. Tiep, 184, 185
—— *yuyuanensis* Y. W. Law, 183, 185
Marattiaceae, 17
Margaritaria L. f., 38, 44, 45
Marsdenia brunoniana Wight & Arn., 253
—— *calesiana* Wight, 253
—— *clausa* Spreng. 254
—— *erecta* (L.) R. Br. 254
—— *flavescens* A. Cunn. ex Hook. 254
—— *hamiltonii* R. Br. 254
—— *rostrata* R. Br. 254
—— *roylei* Wight, 254
—— *suaveolens* R. Br.
—— *tenacissima* Wight & Arn., 254
—— *tinctoria* R. Br. 254
—— *tingens* (Roxb.) P. I. Forst. 254
—— *velutina* R. Br. 254
—— *villosa* (Blume) Blume ex Miq. 254
—— *viridiflora* R. Br. 254
Marsdenieae, 245
Martretia Beille, 39, 46, 47
Martretieae Eg. Köhler ex J. Léonard, 45, 47
Martretiinae Petra Hoffm., **47**
Massonia Thunb. ex Houtt., 152, 153
—— *angustifolia* L. f., 152, 158
—— *bifolia* (Jacq.) J. C. Manning & Goldblatt, 158
—— *depressa* Houtt., 147*, 152, 156, 158
Massonieae, 145, 146, 151*, **152**, 153*, 156, 158
Matelea Aubl., 31, 33
—— *argentinensis* (T. Mey.) Pontiroli, 31
—— ***boliviensis*** (Schltr.) Goyder, **31**
—— ***chacoensis*** Goyder, **32**
—— *cuyabensis* (Malme) Liede & Meve, 32
—— ***fiebrigii*** (Schltr.) Goyder, **31**
—— ***friesii*** (Malme) Goyder, **31**
—— ***hirsutissima*** (Schltr.) Goyder, **32**
—— *lilloana* (T. Mey.) Pontiroli, 31, 32
—— ***purpurea*** (Decne.) Goyder, **32**
Maytenus Molina, **265**, 600
—— ***brasiliensis*** Mart., 265, **266**
—— ***communis*** Reiss., 265, **266**
—— *glazioviana* Loes., 266
—— *ligustrina* Reissek, 266

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Megasporoporia cavernulosa (Berk.) Ryvarden, 59, 60
—— *setulosa* (Henn.) Rajchenb., 60
Meineckia Baill., 41
Melaleuceae, 200
Melandrium Roehl, 35
—— *lomalasinense* Engl., 35
—— *pratense* (Rafn.) Roehl, 35
—— *syngei* Turrill, 35
Melastomataceae, 601
Mellera S. Moore, 292
—— *submutica*, 294*
Mercurialis, 99 – 101, 105
—— *ambigua* L. *sensu* Durand, 99
—— *annua* L., 99 – 101, 102*, 103
—— *annua sensu lato*, 99 – 101, 105
—— *annua sensu stricto*, 99
—— ***canariensis*** Obbard & S. A. Harris, 99 – 101, **103**, 104*, 105
—— *corsica*, 103
—— *elliptica*, 103
—— *huetii* Hanry, 99 – 101, 103, 105
—— *leiocarpa*, 103
—— *monoica* (Moris) Durand, 99
—— *ovata*, 103
—— *perennis*, 103
—— *reverchonii*, 103
—— *tomentosa*, 103
Meripilus persicinus (Berk. & M. A. Curtis) Ryvarden, 63
Merwilla plumbea (Lindl.) Speta, 157
Mesembryanthemoideae, 353, 354, 357, 358, 361, 368, 373, 374, 376
Mesembryanthemum L., 373
—— *amplectens* L. Bolus, 394
—— *arenosum* Schinz, 379
—— *buchubergensis* Dinter ex Range, 394
—— *ciliatum* Aiton, 381
—— *corallinum* Thunb., 393
—— *digitatum* Aiton, 396
—— *digitiforme* Thunb., 396
—— *gymnocladum* Schltr. & Diels, 379
—— *kuntzei* Schinz, 389
—— *longistylum* DC., 354, 355, 400
—— *marlothii* Pax, 391
—— *namibense* Marloth, 389
—— *papillosum* A. Berger, 379
—— *schenckii* Schinz, 381
—— *schlichtianum* Sond., 379
—— *vaginatum* Lam., 381
Mesogramma, 527, 528
—— ***apiifolium*** DC., **527**, 528
Mesosphaerum graveolens sensu Kuntze, 91
—— *polyanthum* Kuntze, 91
Metaplexis japonica (Thunb.) Makino, 254
Michelia L., 183
Micromeria, 420, 421
Microporellus collybiiformis (Beeli) Ryvarden, 56
—— *obovatus* (Jungh.) Ryvarden, 61
—— ***violaceocinerascens*** (Petch) A. David & Rajchenb., 55, **64**
Microporus affinis (Blume & Nees) Kuntze, **64**
—— ***atroalbus*** (Henn.) Kuntze, **64**, 65
—— ***concinnus*** P. Beauv., **65**
—— ***vernicipes*** (Berk.) Kuntze, **65**
—— ***xanthopus*** (Fr.) Kuntze, **65**, 66
Microstachys, 610
—— ***acetosella*** (Milne-Redh.) Esser var. ***linearis*** (J. Léonard) Radcl.-Sm., 609, **610**
Mimosoideae, 559
Mimulopsis Schweinf., 292
—— *lyalliana*, 294*
Mitranthes, 199
—— *brunnea* O. Berg, 200
Monilaria (Schwantes) Schwantes, 357
Moraceae, 445
Mosla bracteata Doan ex S. Suddee & A. J. Paton, 619, **620**
Mucronella Fr., 223
Muscari Mill., 153 – 156
—— *anatolicum* Cowley & Ozhatay, 156, 157
—— *armeniacum* Leichtlin ex Baker, 147*, 157
—— *aucheri* (Boiss.) Baker, 154 – 157
—— *botryoides* (L.) Mill., 157
—— *coeruleum* Losinsk., 157
—— *comosum* (L.) Mill., 157
—— *neglectum* Guss., 154, 155*, 157
—— *pallens* M. Bieb., 157
—— *parviflorum* Desf., 157
Muscarimia, 153, 155, 156
—— *macrocarpa* (Sweet) Garbari, 155*, 157
—— *muscari* (L.) Losinsk., 157
Myrcianthes, 199, 202
—— *brunnea* O. Berg, 199, 200
—— —— var. *grandifolia* O. Berg, 199, 200
—— —— var. *parvifolia* O. Berg, 200
—— *reptans* D. Legrand, 199, 202, 203
Myricanthe Airy Shaw, 193
Myrtaceae, 107, 199, 200, 202, 203
Myrteae, 200
Myrtinae, 200
Myrtus, 199
—— *ovalis* Spreng., 199, 200
Myxomycidium Massee, 223

Neesia Blume, 443
Neosprucea, 206
Nigrofomes melanoporus (Mont.) Murrill, **66**
Nigroporus durus (Jungh.) Murrill, 75
—— ***vinosus*** (Berk.) Murrill, **66**
Nolina, 158
Nomaphila quadrangularis Klotzsch, 300
Nothobaccaurea Haegens, 47

Ocimeae, 619
Oldfieldioideae, 38 – 40
Oleaceae, 179, 181
Oligoceras Gagnep., 194
Oncoba sp. nov., 599, 600
Oncotheca, 537
Ophiopogon, 158
Orchidaceae, 261, 439
Orchidoideae, 261
Oreoporanthera (Grüning) Hutch., 39, 41, 45
Oresbia heterocarpa Cron & B. Nord., **529**
Ornithogaloideae, 145, 146, **149**, 150*, 157, 158
Ornithogalum L., 149 – 151, 156
—— *abyssinicum* (Jacq.) J. C. Manning & Goldblatt, 157
—— *armeniacum* Baker, 149, 150*, 151, 157
—— *candicans* (Baker) J. C. Manning & Goldblatt, 157
—— *chionophilum*, 149, 157
—— *comosum* L., 150*, 157
—— *cooperi* (Jacq.) J. C. Manning & Goldblatt, 157
—— *lanceolatum* Labill., 149, 150*, 151, 157
—— *shawii* (Jacq.) J. C. Manning & Goldblatt, 157
—— *viride* (L.) J. C. Manning & Goldblatt, 157
—— *viridiflorum* (I. Verd.) J. C. Manning & Goldblatt, 157
Orthanthera jasminiflora (Decne.) N. E. Br. ex Schinz, 254
Othonna denticulata [Dryand] in Aiton, 529
—— *geifolia* L., 521
—— ***parviflora*** P. J. Bergius, **529**

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *pinnatifida* Thunb., 452, 529
—— *quinquedentata* DC., 529
Othonnoides, 452
Oxypetalinae, 32
Oxypetalum R. Br., 32, 33
Oziroë Raf., 146
—— *biflora* (Ruiz & Pav.) Speta, 148*, 152, 157
Oziroëoideae, 145, **146**, 148*, 157, 158

Pandaceae Engl. & Gilg., 37 – 39
Pantadenia Gagnep., 193
Paradrypetes Kuhlm., 38
Paramanglietia aromatica (Dandy) Hu & W. C. Cheng, 183
Parapantadenia Capuron, 193
Paraphlomis lancidentata Y. Z. Sun, 621
—— *pagantha* Doan, 619, 621
Pavonia Cav. , 1, 4
—— sect. *Craspedocarpidium* Ulbr., 4
—— *arabica* Boiss., 4
—— ***blepharicarpa*** N. A. Brummitt & Vollesen, **1**, 2*, 3, 4
—— *ellenbeckii* Gürke, 1, 4
—— *kotschyi* Hochst. ex Webb, 1, 4
—— *schweinfurthii* Ulbr., 1, 4
—— *serrata* Franch., 1, 4
—— sp. (= *Corradi* 3527) Vollesen, 1, 4
—— sp. A Agnew, 1, 4
Peliosanthes, 158
Pentabrachion Müll. Arg., 41, 42
Pentace Hassk., 443
Perenniporia inflexibilis (Berk.) Ryvarden, **66**, 67
—— ***medullapanis*** (Jacq.) Donk, **67**
—— *minutula* (Henn.) Ryvarden, 66, 67
—— ***ochroleuca*** (Berk.) Ryvarden, **67**
Pergularia L., 245, **246**
—— *accedens* Blume, 253
—— *adenophylla* Schltr. & K. Schum., 253
—— *africana* N. E. Br., 253
—— *albiflora* Zipp. ex Span., 253
—— *angustifolia* (Wight) D. Dietr., 253
—— *angustifolia* Fisch., 253
—— *angustiloba* Warb., 253
—— *apiculata* Warb., 253
—— *barbata* (Klotzsch) N. E. Br. ex Brenan, 251, 253
—— *barbata* Schltr, 251
—— *bifida* Zipp., 253
—— *brevituba* Warb., 253
—— *brunoniana* (Wight & Arn.) D. Dietr., 253
—— *calesiana* Buch.-Ham. ex Hook. f., 253
—— *campanulata* Buch.-Ham. ex Wall., 254
—— *celebica* Warb., 254
—— *cinerascens* (R. Br.) Spreng., 254
—— *clausa* (R. Br.) Spreng., 254
—— *cordifolia* Sessé & Moc., 254
—— *coromandeliana* Decne., 254
—— *crocea* Zipp. ex Span., 254
—— ***daemia*** (Forssk.) Chiov., 245, 246, 248, **249**
—— —— subsp. ***daemia***, 246, 247*, 250, **251**, 252, 254
—— —— subsp. ***garipensis*** (E. Mey.) Goyder, 246, 250, **252**, 254
—— —— subsp. ***barbata*** (Klotzsch) Goyder, 250, **251**, 252, 253
—— —— subsp. *garipensis* (N. E. Br.) Goyder, 254
—— —— —— var. *leiocarpa* (K. Schum.) H. Huber, 252, 254
—— —— —— var. *macrantha* Chiov., 250, 254
—— *divaricata* Lour., 254
—— *edulis* Thunb., 254
—— *erecta* (L.) Spreng., 254
—— *erecta* Sessé & Moc., 254
—— *exilis* (Colebr.) Spreng., 254
—— *extensa* (Jacq.) N. E. Br., 249
—— *extensa* N. E. Br., 254
—— *filipes* Schltr., 254
—— *flavescens* (A. Cunn. ex Hook.) D. Dietr., 254
—— *garipensis* (E. Mey.) N. E. Br., 252, 254
—— *glabra* (Forssk.) Chiov., 249, 254
—— *glabra* Blanco, 254
—— *glabra* L., 254
—— *glandulosa* Blanco, 254
—— *hamiltonii* (R. Br.) D. Dietr., 254
—— *japonica* Thunb., 254
—— *jasminiflora* Burch. ex Decne., 254
—— *laevis* Sessé & Moc., 254
—— *limbata* Wall. ex Wight, 254
—— *lucida* Fisch., 254
—— *minor* Andrews, 254
—— *montana* Decne., 254
—— *odora* Salisb., 249, 254
—— *odoratissima* (Lour.) Roxb., 254
—— *odoratissima* (Lour.) Sm., 254
—— *pallida* (Roxb.) Wight & Arn., 254
—— *parviflora* Blume, 254
—— *procumbens* Blanco, 254
—— *puberula* Miq., 254
—— *purpurea* Vahl, 254
—— *rostrata* (R. Br.) Spreng., 254
—— *sativa* (Wight) D. Dietr., 254
—— *sanguinolenta* Britten, 254
—— *sanguinolenta* Lindl., 254
—— *sinensis* Lour., 254
—— *suaveolens* (R. Br.) Spreng., 254
—— *syringaefolia* Zipp. ex Decne., 254
—— *tacazzeana* Chiov., 254
—— *tenacissima* (Wight & Arn.) D. Dietr., 254
—— *tinctoria* (R. Br.) Spreng., 254
—— ***tomentosa*** L., 245, 246, **248**, 249, 254
—— —— forma *viridiflora* Maire, 248, 254
—— *tomentosa* Sessé & Moc., 254
—— *tomentosa* Span., 254
—— *velutina* (R. Br.) Spreng., 254
—— *villosa* Blume, 254
—— *viridiflora* (R. Br.) Spreng., 254
—— *viridis* Buch.-Ham. ex Wight, 254
Pericallis tussilaginis (L'Hér.) D. Don., 495
Perilomia ocymoides auct. *sensu* Foster, 551
Peritassa Miers, 265
Petalodiscus Baill., 39, 43, 44
—— *platyrachis* Baill., 44
Petaloides biokoensis Lloyd, 71
Peziza pendula Schwein., 70
Phelline, 537
Phellinus allardii (Bres.) Ryvarden, **67**
—— ***discipes*** (Berk.) Ryvarden, **67**
—— *durissimus* (Lloyd) Ryvarden, 56
—— *extensus* (Lév.) Pat., 56
—— ***fastuosus*** (Lév.) Ryvarden, **67**, 68
—— ***ferreus*** (Pers.) Bourdot & Galzin, **68**
—— ***gilvus*** (Schwein.) Pat., **68**
—— ***nilgheriensis*** (Mont.) G. Cunn., **68**
—— ***noxius*** (Corner) G. Cunn., **68**, 69
—— ***punctatus*** (Fr.) Pilát, **69**
—— ***senex*** (Nees & Mont.) Imazeki, **69**
—— *sublamaensis* (Lloyd) Ryvarden, 56
Phyllanoa Croizat, 38, 39, 45
Phyllanthaceae J. G. Agardh, 39
Phyllanthaceae Klotzsch, 39
Phyllanthaceae Martynov, 37, 38, **39**, 41, 49, 609
Phyllantheae Dumort., 40, 42, **44**
Phyllanthodendron, 37, 45

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

Phyllanthoideae Asch., 40
Phyllanthoideae Baill. ex Hassk., 40
Phyllanthoideae Kostel., 37, 38, **39**, 40
Phyllanthoideae sensu Webster, 45
Phyllanthus L., 37 – 40, 44, 45, 609
—— subgenus *Gomphidium*, 45
—— sect. *Choretropsis*, 44
—— —— subsect. *Clausseniani*, 44
—— sect. *Cicca*, 44
—— sect. *Phyllanthus* subsection *Swartziani*, 610
—— *diandrus* Pax, 44, 45
—— *elsiae*, 45
—— *emblica*, 45
—— *fluitans* Benth. ex Müll. Arg., 44
—— ***glaucophyllus*** Sond., **610**
—— *leucanthus sensu* Radcl.-Sm., 610
—— ***leucochlamys*** Radcl.-Sm., 609, **610**
—— *leucosepalus* J. F. Brunel, 610
—— *mimosoides*, 45
—— *mirabilis* Müll. Arg., 44
—— *peltatus* Guillaumin, 44
Phyllanthus sensu Webster, 45
Phyllobolus N. E. Br., 373, 376
—— *canaliculatus* (Haw.) Gerbaulet, 354, 355, 363, 400
—— *digitatus* (Aiton) Gerbaulet, 353, 354, 357, 358, 360, 361, 363, 364, 368, 373, 374, 396
—— —— subsp. *digitatus*, 355, 357*
—— —— subsp. *littlewoodii* (L. Bolus) Gerbaulet, 397
—— *resurgens*, 373
Phyllonomaceae, 537
Phylloporia chrysita (Berk.) Ryvarden, 56
—— ***spathulata*** (Hook.) Ryvarden, **69**
Picrodendraceae Small, 37 – 39, 45
Piloporia albomarginata (Lév.) Núñez, **69**
Pimenta, 200
—— *dioica* (L.) Merr., 200
Pineda Ruiz & Pav., 205, 206, **207**, 210
—— ***incana*** *Ruiz & Pav.*, 205 – 207, **208**, 210
—— *lehmannii* Hieron., 208
—— *lindenii* Turcz., 213
—— ***ovata*** M. H. Alford & Zmarzty, 205, 207*, 208, 210, **211**, 212*, 213
Piptoporus soloniensis (Dubois) Pilát, 56
Pityranthe Thwaites, 443
Plagiocladus Brunel ex Petra Hoffm., 37, 44, **45**
Plagiocladus Brunel, 45
Plectranthus L'Hér., 225, 228
—— ***chevalieri*** (Briq.) B. J. Pollard & A. J. Paton 228, **229**
—— ***decumbens*** Hook. f., 225, **229**
—— *graniticola* P. I. Forst., 229
—— ***inselbergi*** B. J. Pollard & A. J. Paton, **225**, 226*, 227 – 299
—— ***koualensis*** (A. Chev. ex Hutch. & Dalziel) B. J. Pollard & A. J. Paton, **228**, 229
—— ***linearifolius*** (J. K. Morton) B. J. Pollard & A. J. Paton, **229**
—— *monostachyus* (P. Beauv.) B. J. Pollard, 228
—— —— subsp. *marrubiifolius* (Brenan) B. J. Pollard, 228
—— ***saxicola*** B. J. Pollard & A. J. Paton, 228, **229**
Plectronia korrowalensis K. Krause, 591
—— *pallidifolia* K. Krause, 591
Plenckia Reiss., 265
Pleuranthodendron lindenii (Turcz.) Sleumer, 213
Poa asirensis Cope, **243**
—— *pratensis* L., 243
—— *ruwenzoriensis* Robyns & Tournay, 243
Poaceae, 243, 281
Poaleptoclada Hochst. ex A. Rich., 243
Pogostemon, 619
—— *auricularius* (L.) Hassk., 620
—— —— var. *giganteus* (Doan) P. H. Hô ex A. L. Budantsev, 620
—— *cruciatus* (Wall. ex Benth.) Kuntze, 620
—— *globulosus* (Doan) A. L. Budantsev, 619
—— *globulosus* (Doan) Phuong, 619
—— *globulosus* (Doan) W. Chuakul, 619
—— ***globulosus*** Phuong ex S. Suddee & A. J. Paton, **619**
—— ***litigiosus*** Doan ex S. Suddee & A. J. Paton, **619**
—— *litigiosus* Doan, 619
—— ***nelsonii*** Doan ex S. Suddee & A. J. Paton, **619**
—— *nelsonii* Doan, 620
—— *petelotii* (Doan) A. L. Budantsev, 620
—— *petelotii* (Doan) Phuong, 620
—— *stellatus* (Lour.) Kuntze, 620
Polyporaceae, 55
Polyporus affinis Blume & Nees, 64
—— *albomarginatus* Lév., 69
—— *arcularius* Fr., 56
—— *auberianus* Mont., 71
—— *aureomarginatus* Henn., 68
—— *brachyporus* Mont., 60
—— *byrsinus* Mont., 58
—— *caperatus* Berk., 59
—— *cavernulosus* Berk., 59
—— *cotoneus* Pat. & Har., 74
—— ***dictyopus*** Mont., **70**
—— *discipes* Berk., 67
—— *durus* Jungh., 75
—— *ealaensis* Beeli, 56
—— *epimiltinus* Berk. & Broome, 73
—— *fastuosus* Lév., 67
—— *ferreus* Pers., 68
—— *fuligo* Berk. & Broome, 62
—— *fuscatus* Lloyd, 57
—— *fuscopurpureus* Pers., 56
—— *gilvus* (Schwein.) Fr., 68
—— *hydrophilus* Berk. & M. A. Curtis, 58
—— *inflexibilis* Berk., 66
—— *lactineus* Berk., 74
—— *leoninus* Klotzsch, 61
—— *liebmannii* Fr., 58
—— *makuensis* Cooke, 65
—— *melanoporus* Mont., 66
—— *nilgheriensis* Mont., 68
—— *niveus* Jungh., 73
—— *obovatus* Jungh., 61
—— *ochroleucus* Berk., 67
—— *persicinus* Berk. & M. A. Curtis, 63
—— *punctatus* Fr., 69
—— *purpureoaurantiacus* Beeli, 69
—— *rugosus* Blume & T. Nees, 57
—— *sacer* Fr., 64
—— *scabrosus* Pers., 60
—— *schumanii* Bres., 58
—— *scutellatus* Schwein., 59
—— *sericatum* Lloyd, 58
—— *strumosus* Fr., 59
—— ***tenuiculus*** (P. Beauv.) Fr., **70**
—— *tephroleucus* Fr., 70
—— *undatus* Pers., 72
—— *veluticeps* Cooke, 65
—— *vernicipes* Berk., 65
—— *vinctus* Berk., 72
—— *vinosus* Berk., 66
—— *violaceocinerascens* Petch, 64
—— *xanthopus* Fr., 65
Polystictus affinis (Blume & Nees) Fr., 64
—— *atroalbus* Henn., 64, 65
—— *discipes*, 67

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *flabelliformis* (Klotzsch) Sacc., 64
—— *inconstans* (Kalchbr.) Cooke, 67
—— *kwiluensis* Beeli, 57
—— *persoonii* (Mont.) Cooke, 60
—— *sacer* (Fr.) Fr., 64
—— *sanguineus* (L.) Sacc., 71
—— *vernicipes* (Berk.) Cooke, 65
—— *xanthopus* (Fr.) Fr., 65, 66
Polyxena, 152, 153
—— *ensifolia* (Thunb.) Schönland, 152, 158
Poranthera Rudge, 39 – 41, 45
Porantheraceae Hurus., 41
Porantheraeae Grüning, **41**
Porantherinae Müll. Arg., 41
Porantheroideae Pax, 41
Poria albocincta Cooke & Massee, 70
—— *borbonica* Pat., 73, 74
—— *calcicolor* Sacc. & P. Syd., 73
—— *carneopallens* (Berk.) Sacc., 72
—— *cavernulosa* (Berk.) Sacc., 59, 60
—— *delicatula* Henn., 62
—— *flavipora* Cooke, 72
—— *setulosa* Henn., 60
Porodisculus pendulus (Schwein.) Murrill, **70**
Porogramme albocincta (Cooke & Massee) Lowe, **70**, 73
Postia tephroleuca (Fr.) Jülich, **70**, 71
Prenia N. E. Br., 358
Prionostemma Miers, 265
Pristimera Miers, 265
Prockia, 205
—— *crucis* L., 213
Prockieae, 205, 206
Protomegabaria Hutch., 47
Pseudagrostistachys, 609
—— ***ugandensis*** (Hutch.) Pax & K. Hoffm., **611**
Pseuderanthemum dichotomum Lindau, 402, 406, 407, 409
Pseudibatia boliviensis Schltr., 31
—— *hirta* (Griseb.) Malme, 32
Pseudobrownanthus Ihlenf. & Bittrich, 368
—— *nucifer* Ihlenf. & Bittrich, 354, 368, 373, 378, 387
Pseudodacryodes leonardiana Pierlot, 582
Pseudolachnostylidinae Pax & K. Hoffm., 42
Pseudolachnostylis Pax, 39, 42
Pseudomuscari, 153 – 156
—— *coeruleum* (Losinsk.) Gabari, 157
—— *pallens* (M. Bieb.) Garbari, 153, 154*, 157
Pseudoprosperineae, 146, 153
Pseudoprospero Speta, 146, 153
Psidium, 199, 200, 202, 203
—— *decussatum* DC., 202
—— *hagelundianum* Mattos, 199, 200
—— *hatschbachii* D. Legrand, 200
—— *imaruinense* Mattos, 199, 200
—— *incanum* (O. Berg) Burret, 203
—— *luridum* (Spreng.) Burret, 203
—— ***ovale*** (Spreng.) Burret, 199, **200**, 201*, 203
—— ***reptans*** (D. Legrand) Soares-Silva & Proença, 199, 201*, 202, **203**
—— *salutare* (Kunth) Burret, 202
—— —— var. *salutare*, 202
—— *spathulatum* Mattos, 199, 200
Psilocaulon N. E. Br., 353, 354, 357, 358, 361, 368, 373, 394
—— *arenosum* (Schinz) L. Bolus, 379
—— *bicorne* (Sond.) Schwantes, 360, 361
—— *ciliatum* (Aiton) Friedrich, 381
—— *corallinum* (Thunb.) Schwantes, 393
—— *diversipapillosum* (A. Berger) N. E. Br., 379
—— *foliosum* L. Bolus, 394
—— *gymnocladum* (Schltr. & Diels) Dinter & Schwantes, 379
—— *kuntzei* (Schinz) Dinter & Schwantes, 389
—— *marlothii* (Pax) Friedrich, 391
—— *namibense* (Marloth) Friedrich, 389
—— *parviflorum* (Jacq.) Schwantes, 354, 355, 363, 364, 400
—— *peersii* L. Bolus, 393
—— *schlichtianum* (Sond.) Schwantes, 353, 379
Psydrax Gaertn., 591
Puschkinia, 153 – 156
—— *scilloides*, 155*, 157
Putranjiva Wall., 38
Putranjivaceae Meisn., 37 – 39
Pycnoporus sanguineus (L.) Murrill, **71**
Pyrofomes albomarginatus (Lév.) Ryvarden, 69

Radcliffea Petra Hoffm. & K. Wurdack, 193, **194**, 195
—— ***smithii*** Petra Hoffm. & K. Wurdack, 193, **194***, 196*
Rafflesia R. Br., 231 – 233
—— ***baletei*** Barcelona & Cajano, 231, **232**, 233, 234* – 236*, 237
—— *manillana*, 231 – 233, 237
—— *mira*, 231
—— *schadenbergiana*, 231
—— *speciosa*, 231
—— *tengku-adlinii*, 231, 233
Rafflesiaceae, 231
Raphistemma ciliatum Hook. f., 249
—— *pulchellum* Wall., 254
Reineckia, 158
Reutealis Airy Shaw, 193
Reverchonia A. Gray, 37, 44, 45
Rhaptopetalum geophylax Cheek & Gosline, 591
Rhinacanthus Nees, 401, 402, 407, 413 – 416
—— ***angulicaulis*** I. Darbysh., 401 – 403, **404**, 417
—— *communis* Nees, 401, 402
—— *communis sensu* C. B. Clarke, 406, 408, 409
—— ***dichotomus*** (Lindau) I. Darbysh., 401 – 403, **406**, 407, 416, 417
—— —— var. ***dichotomus***, 403, 405*, **406**, 417
—— —— var. ***emaculatus*** I. Darbysh., 403, **407**, 417
—— ***gracilis*** Klotzsch, 401 – 403, **408**, 409, 416, 417
—— —— var. *latilabiatus* K. Balkwill, 409 – 411
—— —— var. *gracilis sensu* K. Balkwill, 409 – 411
—— *kaokoensis* K. Balkwill & S. Williamson, 409, 417
—— ***latilabiatus*** (K. Balkwill) I. Darbysh., 401 – 403, 407, **409**, 410, 417
—— *minimus* S. Moore, 413, 416
—— *nasutus* (L.) Kurz, 401 – 403, 407
—— *ndorensis* Schweinf., 416
—— ***obtusifolius*** (Heine) I. Darbysh., 401, 402, 414, **415**, 417
—— *pulcher* Milne-Redh., 413, 416
—— *röttlerianus* Nees, 402
—— *rotundifolius* C. B. Clarke, 409, 416
—— ***selousensis*** I. Darbysh., 402, **413**, 414, 416
—— ***submontanus*** T. Harris & I. Darbysh., 402, **411**, 412*, 413, 414, 416
—— *tenuipes* (S. Moore) Aké Assi, 415
—— *virens* (Nees) Milne-Redh., 401, 402, 413 – 416
—— —— var. *obtusifolius* (Heine), 415, 417
—— *virens sensu* Vollesen, 413
—— *xerophilus* A. Meeuse, 409, 417
Richeria Vahl., 47
Richeriella Pax & K. Hoffm., 37, 39, 44
—— *gracilis* (Merr.) Pax & K. Hoffm., 44
—— *malayana* Hend., 44
Ricinocarpeae, 193
Ricinodendreae, 193
Ricinodendron Müll. Arg., 193
Rigidoporus biokoensis (Lloyd) Ryvarden, **71**

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— ***microporus*** (Sw.) Overeem, **71**
—— ***ulmarius*** (Sowerby) Imazeki, **71**, 72
—— ***undatus*** (Pers.) Donk, **72**
—— ***vinctus*** (Berk.) Ryvarden, **72**
Rojasia Malme, 31 – 33
—— ***gracilis*** (Morong) Malme, 32, **33**
Rubiaceae, 585, 591
Rubioideae, 585
Ruellia L., 290
—— *longicalyx* Deflers, 315
Ruellieae, 291
Ruelliinae, 291, 292
Ruscaceae, 158
Ruschia Schwantes, 357, 361
—— *abbreviata* L. Bolus, 357
—— *crassa* (L. Bolus) Schwantes, 357
Ruschioideae, 357, 358, 361

Salacia L., 265
Salacioideae N. Hallé, 265
Salicaceae, 205, 206, 595
Salpichlaena volubilis (Kaulf.) Hook., 23
Salvia eberhardtii Phuong, 620
—— *nana* Doan, 619, 620
—— *scapiformis* Hance, 620
Santiria trimera (Oliv.) Aubrév. & Pellegr., 582
Sapindaceae, 277
Sapium acetosella Milne-Redh., 610
—— —— var. *lineare* J. Léonard, 610
Sapotaceae, 79
Satureja, 419 – 421
—— *abyssinica* (Benth.) Briq., 421
—— *kilimandschari* (Gürke) Hedberg, 419, 430
—— *paradoxa* (Vatke) Engl., 421
—— *pseudosimensis* Brenan, 419, 425, 427
—— —— var. *micrantha* Cufod., 425, 427
—— *simensis* (Benth.) Briq., 419, 428
—— *simensis sensu* Gürke, 425
—— *uhligii* Gürke, 419, 420, 424
—— *vernayana*, 421
Satyrium, 261
—— ***aciculare*** van der Niet & P. J. Cribb, 261, 263*, **264**
—— *breve* Rolfe., 264
—— *chlorocorys* Schltr., 261
—— *hallackii* Bolus, 264
—— —— var. ***ballii*** van der Niet & P. J. Cribb, **261**, 262*
—— —— var. *ocellatum*, 264
—— *ocellatum* Bolus, 264
—— *oliganthum* Schltr., 264
—— ***shirense*** Rolfe, **261**
Sauropus Blume, 44, 45
—— *racemosus* Beille, 39
Sauropus, 37
Savia Willd., 39, 42, 44
—— sect. *Heterosavia* Urb., 42, 44
Saviinae Müll. Arg., 42
Sceletium N. E. Br., 373
Scepa Lindl., 47
Scepaceae Lindl., 47
Scepeae Horan., **47**
Schefflera, 187, 188, 190
—— *angustissima* (Marchal) Frodin, 190
—— *bodinieri* (H. Lév.) Rehder, 190
—— *calva* (Cham.) Frodin & Fiaschi, 187, 190
—— *capixaba* Fiaschi, 187, 188, 190
—— *capuroniana* (Bernardi) Bernardi, 190
—— *cordata* (Taub.) Frodin & Fiaschi, 190
—— *grandigemma* Fiaschi, 187
—— *kollmannii* Fiaschi, 187
—— *longipetiolata* (Pohl ex DC.) Frodin & Fiaschi, 187, 188, 190
—— *morototoni* (Aubl.) Maguire, Steyerm. & Frodin, 187
—— —— var. *sessiliflora* (Marchal) Frodin, 190
—— *multiramosa* Elmer 190
—— ***racemifera*** Fiaschi & Frodin, 187, **188**, 189*, 190
—— *rufa* Frodin, 190
—— *ruschiana* Fiaschi & Pirani, 187
—— sp. aff. *varisiana* Frodin, 187
—— *stenophylla* Harms, 190
—— *veitchii*, 190
Schinziophytum Hutch. ex Radcl.-Sm., 193
Schizobasis Baker, 149
—— *intricata* (Baker), 147*, 157
Schizobasopsis J. F. Macbr., 149
Schizocarphus Van der Merwe, 152
Schizoglossum, 246
Schizopora flavipora (Cooke) Ryvarden, **72**
—— *trichiliae* (Van der Byl) Ryvarden, 72
Scilla L., 153 – 156
—— *cilicica* Siehe, 157
—— *firmifolia* Baker, 146, 153
—— *greilhuberi* Speta
—— *hohenackeri* Fisch. & C. A. Mey., 153, 157
—— *hyacinthoides* L., 154 – 157
—— *libanotica* Speta, 157
—— *lilio-hyacinthus* L., 153, 155, 157
—— *lingulata* Poir., 154*, 155, 157
—— *natalensis* Planch., 146, 153, 154*, 155, 157
Scilleae, 145
Scorodophloeus Harms, 257, 259
—— *fischeri* (Taub.) J. Léonard, 259
—— ***torrei*** Lock, **257**, 258*, 259
—— *zenkeri* Harms, 259
Scutellaria L., 549, 555*
—— sect. *Galericularia* A. Ham., 549
—— sect. *Perilomia* (Kunth) Epling, 549, 552, 556, 557
—— sect. *Scutellaria*, 549
—— sect. *Uliginosae* A. St. Hil. ex Benth., 549
—— ***attenuifolia*** S. Suddee & A. J. Paton, 619, **620**
—— ***breviflora*** Benth., 549, **550**, 551
—— ***eplingii*** Legname, 549, 550, **551**, 552, 553*, 555*, 556, 557
—— *javanica* Jungh. var. *sumatrana* (Miq.) Back., 621
—— *linearifolia* Doan, 620
—— *ocymoides* (Kunth) Epling, 549, 552, 553*, 555*, 556, 557
—— *ocymoides sensu* Pontiroli, 555
—— *orthocalyx* Hand.-Mazz., 620
—— *purpurascens* Sw., 551
—— ***racemosa*** Pers., 549, 550, **551**
—— *scutellarioides* (Kunth) Harley, 549, 552, 553*, 555*, 556, 557
—— *tonkinensis* Doan, 619, 620
—— ***uliginosa*** A. St.-Hil. ex Benth., 549, **550**, 551
—— ***woodii*** M. Mercado, 549, 550, 552, 554*, **555***, 556, 557
Securinega Comm. ex Juss., 41 – 43
Securineginae Müll. Arg., 42
Sellow, 199, 200
Semnothyrsus sumatranus (Miq.) Bremek., 10
Senecio L., 451, 489, 528
—— *alpinus* Scop., 528
—— *anampoza* Baker, 488
—— ***apiifolius*** (DC.) Benth. & Hook. f. ex O. Hoffm., **527**
—— *cordifolius* L. f., 528
—— ***gariepiensis*** Cron, **527**
—— ***hederiformis*** Cron, **527**
—— *hygrophilus* Klatt, 488, 489
—— *kirsteineanus* Mushl. in Mildbr., 468
—— *momordicifolius* Dinter & Muschl., 513

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— *peculiaris* Dinter, 528
—— *repandus* Thunb., 523
—— *resedifolius* Less. 463
—— *schubotzianus* Muschl., 468
—— verbascifolius Burm. f., 495
Senecioides, 452
Senecioneae Cass., 167, 449, 451, 529
Sibangea Oliv., 38
Silene L., 35
—— ***lomalasinense*** (Engl.) T. Harris & Goyder, **35**
—— *lomalasinensis* Engl. ex F. Jaeger, 35
—— ***syngei*** (Turrill) T. Harris & Goyder, **35**
Sileneae, 35
Sinomanglietia glauca Z. X. Yu & Q. Y. Zheng, 184
Skeletocutis africana Ryvarden & P. Roberts, 55, 56, **72**, 73*
—— ***nivea*** (Jungh.) Jean Keller, **73**
Solenostemon Thonn., 225, 228
—— *chevalieri* Briq., 229
—— *decumbens* (Hook. f.) Baker, 229
—— *graniticola* A. Chev., 229
—— *koualensis* (A. Chev. ex Hutch. & Dalziel) J. K. Morton, 229
—— *linearifolius* J. K. Morton, 229
—— *minor* J. K. Morton, 229
—— *monostachyus* (P. Beauv.) Briq. var. *graniticolus* (A. Chev.) Brenan, 229
Sorghastrum Nash, 281, 283
—— *balansae*, 283
—— ***crassum*** Renvoize, **281**, 282*, 283
—— *incompletum*, 283
—— *minarum*, 283
—— *pogonostachyum*, 283
—— *setosum*, 283
—— *stipoides*, 283
—— *tisserantii*, 283
Sphenostemon, 537
Spicatae T. R. Dudley, 537
Spondiantheae G. L. Webster, **48**
—— subtribe *Spondianthinae* G. L. Webster, 48
Spondianthus Engl., 39, 48
Stemonuraceae, 537
Sterculiaceae, 193, 215, 443
Stilaginaceae C. Agardh, 45
Stilpnogyne bellidioides DC., 524
Strobilanthes, 5, 10, 15
—— *anfractuosa* C. B. Clarke, 14, 15
—— *anisophylla* (G. Lodd.) T. Anderson, 12
—— *antonii* Elmer, 9
—— *articulata* Imlay, 12
—— *burkillii* E. J. Dunn, 12
—— *chaffonjonii* H. Lév., 12
—— *cincinnalis* C. B. Clarke, 9
—— ***dimorphotrica*** Hance, 5, **12**, 13 – 15
—— —— subsp. ***dimorphotrica***, 5, **13**, 15
—— —— subsp. ***rex*** (C. B. Clarke) J. R. I. Wood, 5, **13**, 15
—— *discolor* (Nees) T. Anderson, 12
—— *equitans* H. Lév., 12
—— *filiformis*, 6, 7*, 9
—— *formosana* S. Moore, 12
—— *geniculata* C. B. Clarke, 12
—— —— var. *integra* C. B. Clarke, 12
—— *glandibracteata* D. Fang & H. S. Lo, 5, 12, 15
—— *gracilis* T. Anderson, 12
—— *hupehensis* W. W. Sm., 12
—— *laevigata* C. B. Clarke, 5
—— *lasiocalyx* Hayata, 12
—— *marchandii* H. Lév., 12
—— ***murutorum*** J. R. I. Wood, 5, **6**, 7*, 8*, 9
—— *ningmingensis* D. Fang & H. S. Lo, 5, 12
—— *ovatibracteata* H. S. Lo & D. Fang, 12
—— ***paniculiformis*** J. R. I. Wood, 5, **10**, 11*, 12
—— *pateriformis* Lindau, 10
—— *pentstemonoides* (Nees) T. Anderson, 5, 9, 10, 12
—— —— var. *anfractuosa* (C. B. Clarke) Benoist, 14
—— —— var. *rex* (C. B. Clarke) Benoist, 14
—— *pentstemonoides* auct. *sensu* Hsieh & Huang, 12
—— *pluriformis* C. B. Clarke, 5, 6, 7*, 8*, **9**
—— *psilostachys* [C. B. Clarke ex] W. W. Sm., 12
—— *pubiflora*, 12
—— *rex* C. B. Clarke, 13, 14
—— *saltiensis* S. Moore, 5, 15
—— *seguinii* H. Lév., 12
—— *sumatrana*, 6, 7*, 8*, **10**
Strobilanthopsis S. Moore, 292
—— *linifolia*, 293*
Strophanthus divaricata (Lour.) Hook. & Arn. 254
Synaptophyllum N. E. Br., 373
Syzygium Gaertn., 107, 136
—— *ampullarium* (Stapf) Merr. & L. M. Perry, 121
—— ***anthicoides*** P. S. Ashton, **108**, 109*
—— *anthicum* (Ridl.) Merr. & L. M. Perry, 108
—— ***apiarii*** P. S. Ashton, **108**, 109*
—— ***arcanum*** P. S. Ashton, **108**, 110*
—— ***badescens*** P. S. Ashton, **111**
—— ***bakoense*** P. S. Ashton, **111**, 112*
—— ***barringtonioides*** (Ridl.) Masam., **111**
—— —— var. ***barringtonioides***, **111**, 113
—— —— var. ***quadrisepalum***, **113**
—— *beccarii* (Ridl.) Merr. & L. M. Perry, 140
—— *bicostatum* P. S. Ashton, 112*, 113
—— *boisianum* (Gagnep.) Merr. & L. M. Perry, 118
—— *brachypodum* Merr. & L. M. Perry, 111
—— ***bujangii*** P. S. Ashton, **113**, 115*
—— ***calcimontanum*** P. S. Ashton, **114**, 115*, 136
—— *casiguranense* (Quisumb.) Merr., 138
—— ***castaneum*** (Merr.) Merr. & L. M. Perry, **114**, 134
—— —— subsp. ***altecastaneum*** P. S. Ashton, **116**, 117*
—— —— subsp. ***castaneum***, **114**, 115
—— ***chaii*** P. S. Ashton, **116**, 117*
—— *christmannii* Merr. & L. M. Perry, 111
—— *claviflorum* (Roxb.) Steud., 118
—— ***cornuflorum*** P. S. Ashton, **116**, 119*
—— ***crypteronioides*** P. S. Ashton, **118**, 119*
—— ***eugeniforme*** P. S. Ashton, **118**, 120*
—— ***faciflorum*** P. S. Ashton, 118, 120*
—— ***fossiramulosum*** P. S. Ashton, **121**, 122*
—— ***fulvotomentosum*** P. S. Ashton, **121**, 122*
—— *fusticuliferum* (Ridl.) Merr. & L. M. Perry, 116, 125
—— ***garcinifolium*** (King) Merr. & L. M. Perry, **123**
—— —— var. ***garcinifolium***, **123**
—— —— var. ***patentinervium*** P. S. Ashton, **123**
—— *gladiatum* (Ridl.) Merr. & L. M. Perry, 140
—— ***gracilipaniculum*** P. S. Ashton, **123**, 124*
—— *griffithii* (Duthie) Merr. & L. M. Perry, 142
—— *hirtum*, 121
—— *houttuynii* Merr. & L. M. Perry, 113, 125
—— ***houttuyniifolia*** P. S. Ashton, **125**, 126*
—— *hypsipetes* Airy-Shaw, 130
—— ***idrisii*** P. S. Ashton, **125**, 126*
—— ***iliasii*** P. S. Ashton, 118, **125**, 128*
—— ***imperialis*** P. S. Ashton, **127**, 128*
—— *jaherii* Merr. & L. M. Perry, 130, 134
—— ***khoonmengianum*** P. S. Ashton, **127**, 129*
—— *kinabaluense* (Stapf) Merr. & L. M. Perry, 108
—— ***kudatense*** P. S. Ashton, 129*, **130**
—— ***lambirense*** P. S. Ashton, **130**, 131*
—— *leucoxylon* Korth., 132

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007

—— —— var. *phaeophyllum* Merr. & L. M. Perry, 132
—— *merrillii*, 136
—— *nervosum* DC., 111
—— ***nigricans*** (King) Merr. & L. M. Perry, **130**, 132
—— —— subsp. ***nigricans***, **130**, 132
—— —— subsp. ***phaeophyllum*** P. S. Ashton, **132**
—— *oblatum*, 113
—— *oligomyrum* Diels, 138
—— *palawanense* (C. B. Rob.) Merr. & L. M. Perry, 125
—— ***paludosum*** P. S. Ashton, **132**, 133*
—— *panzeri* Merr. & L. M. Perry, 130
—— *paucipunctatum* (Koord. & Valeton) Merr. & L. M. Perry, 138
—— *penibukanense* Merr. & L. M. Perry, 114, 142
—— ***quadricostatum*** P. S. Ashton, 133*, **134**
—— ***rheophyticum*** P. S. Ashton, **134**, 135*
—— ***selukaifolium*** P. S. Ashton, 135*, **136**
—— ***silamense*** P. S. Ashton, **136**, 137*
—— ***soepadmoi*** P. S. Ashton, **136**, 137*, 138
—— ***stipitatum*** P. S. Ashton, **138**, 139*
—— ***subisense*** P. S. Ashton, **138**, 139*, 142
—— ***tenuicorticum*** P. S. Ashton, **140**, 141*
—— ***tenuilimbum*** P. S. Ashton, **140**, 141*
—— ***ultramaficum*** P. S. Ashton, **140**, 143*
—— ***valdecoriaceum*** P. S. Ashton, **142**, 143*
—— *villiferum* (Ridl.) Masam., 121
—— *viridifolium* (Elmer) Merr. & L. M. Perry, 118
—— *zeylanicum* (L.) DC., 108

Tacarcuna Huft., 38, 42
—— *amanoifolia*, 41, 42
—— *tachirensis*, 41
Talauma Juss., 183
Tapoides Airy Shaw, 193
Telosma accedens (Blume) Backer, 253
—— *africana* (N. E. Br.) N. E. Br., 253, 254
—— *angustiloba* (Warb.) Merr., 253
—— *celebica* (Warb.) Rahman & Wilcock, 254
—— *cordata* (Burm. f.) Merr., 249, 254
—— *pallida* (Roxb.) Craib, 254
—— *procumbens* (Blanco) Merr., 254
—— *puberula* (Miq.) Kerr, 254
Tetrastigma, 231
—— cf. *magnum* Merr., 233
Teucrium petelotii Doan ex S. Suddee & A. J. Paton, 619, 620
—— *petelotii* Doan, 620
Thecacoris A. Juss., 46, 609
—— ***lucida*** (Pax) Hutch., **611**
Theleporus calcicolor (Sacc. & P. Syd.) Ryvarden, **73**
Thymbra, 421
Thymus, 421, 427
Thyrsoprinus Loes., 537
Tiliaceae, 443
Tinctoporellus epimiltinus (Berk. & Broome) Ryvarden, **73**, 74
Tontelea Aubl., 265
Tragia, 609
—— ***okanyua*** Pax, **611**
Trametes albotexta Lloyd, 63
—— ***cingulata*** Berk., **74**
—— *corrugata* (Pers.) Bres., 60
—— ***cotonea*** (Pat. & Har.) Ryvarden, **74**
—— *elegans* (Fr.) Fr., 56
—— ***lactinea*** (Berk.) Sacc., **74**
—— *menziesii* (Berk.) Ryvarden, 56
—— *scabrosa* (Pers.) G. Cunn., 60
—— ***socotrana*** Cooke, **74**
—— *versiformis* Berk. & Broome, 60
—— *vespacea* (Pers.) Ryvarden, 56
Tremella, 223
—— *dependens* Berk. & M. A. Curtis, 223
Trichaptum durum (Jungh.) Corner, **75**
Trichocyclus Dulac, 353, 378
Trichocyclus N. E. Br., 378
—— *buchubergensis* Dinter, 394
—— *ciliatus* (Aiton) N. E. Br., 381
—— *namibensis* (Marloth) N. E. Br. ex C. A. Maass, 389
—— *simplex* N. E. Br. ex C. A. Maass, 381
Tylophora cinerascens (R. Br.) P. I. Forst., 254
—— *exilis* Colebr., 254
Tyromyces hydrophilus (Berk. & M. A. Curtis) Lowe, 58
—— *hypolateritius* (Cooke) Ryvarden, 56
—— *lacteus* (Fr.) Murrill, 70, 71

Uapaca Baill., 38, 39, 48
Uapacaceae Airy Shaw, 48
Uapaceae Hutch., 40, 48
Uapacinae Müll. Arg., 48
Umbelliferae, 239
Urginea Steinh., 149
—— *altissima* (L. f.) Baker, 148*, 149, 157
—— *maritima* (L.) Baker, 157
Urgineoideae, 145, 148*, **149**, 157, 158

Vallaris glabra (L.) Kuntze, 254
—— *sinensis* (Lour.) G. Don, 254
Vanguerieae, 591
Vanilla, 439
—— ***imperialis*** Kraenzl., **439**, 440*, 441
—— *roscheri* Rchb. f., 439, 441
Veltheimia, 152, 153
—— *bracteata* Harv. ex Baker, 147*, 152, 158
—— *capensis* (L.) DC., 158
Violaceae, 38, 39
Vitaceae, 231, 233
Vitex, 615
—— subgenus *Holmskioldiopsis*, 615
—— subgenus *Vitex* (*Euvitex*), 615
—— sect. *Terminales* Briq., 615
—— *buchananii* Gürke, 615, 617
—— ***morogoensis*** Walsingham & S. Atkins, 615, 616*, **617**
—— sp. A Verdc., 615, 617

Whiteheadia, 152
—— *bifolia* (Jacq.) Baker, 151*, 153, 158
Wielandia Baill., 39, 42, 43
Wielandieae Baill. ex Hurus., 40 – 42, **43**
Wielandiinae Pax & K. Hoffm., **43**
Wielandioideae Baill. ex Hassk., 43
Wrightoporia africana I. Johans. & Ryvarden, **75**
—— ***avellanea*** (Bres.) Pouzar, **75**

Xenocarpus Cass., 455
—— *geifolius* Cass., 455
Zimmermannia Pax, 41
Zimmermanniopsis Radcl.-Sm., 41

© The Board of Trustees of the Royal Botanic Gardens, Kew, 2007